




WEDGES & BARS

Flange wedge




article no	L x B x H mm	weight g
1860010S	80 x 15 x 6	40
1860011S	90 x 50 x 10	200
1860001S	100 x 50 x 10	210
1860006S	105 x 19 x 13	100
1860002S	150 x 25 x 13	215
1860003S	150 x 30 x 13	280
1860007S	150 x 38 x 19	400
1860004S	150 x 40 x 13	425
1860012S	180 x 32 x 13	300
1860013S	180 x 50 x 10	400
1860008S	180 x 50 x 19	700
1860014S	200 x 38 x 25	900
1860015S	200 x 38 x 41	1300
1860009S	200 x 40 x 40	1380
1860016S	200 x 50 x 19	800
1860017S	215 x 50 x 32	1400
1860005S	230 x 40 x 20	1000

Wedge with hole




article no	L x B x H mm	hole-Ø mm	weight g
1851000S	100 x 30 x 15	6	220

Space-wedge




article no	L x B x H1 x H2 mm	weight g
1861002S	250 x 50 x 5 x 1,5	200

Nosekey




article no	dimensions mm					weight g
	a	b	c	d	e	
9991034S	340	20	40	20	20	2600
1861001S	340	30	40	20	20	2800
1861000S	400	30	40	40	15	3500

Stone wedge




article no	form mm L x b	weight g
7120001S	120 x 44	1100
7120002S	150 x 45	1400
7120003S	190 x 47	2000
7120004S	240 x 50	3000

Gasket knife straight



article no	length mm	a mm	b mm	weight g
7200001S	400	25	220	300

Gasket knife round



article no	length mm	a mm	b mm	weight g
7200002S	690	30	400	1200
7200003S	1240	40	800	2000

Nail puller



article no	length mm	● mm	weight g
1610300S	300	14	400
1610450S	450	19	1100
1610600S	600	19	1500
1610750S	750	22	2500
1610900S	900	22	3000

Wrecking bar



article no	length mm	● mm	weight g
1613000S	300	14	400
1614500S	450	19	1100
1616000S	600	19	1500
1617500S	750	22	2500
1619000S	900	22	3000

Pinch bar



article no	length mm	● mm	weight g
1600450S	450	19	1100
1600600S	600	19	1500
1600750S	750	22	2500
1600900S	900	22	3000
1601000S	1000	22	3300
1601250S	1250	27	6100
1601500S	1500	27	7300
1601800S	1800	30	11100
1602000S	2000	30	12300

Pinch bar with point and edge



article no	length mm	Ø mm	weight g
1600001S	1000	30	6150
1600002S	1250	30	7700
1600003S	1500	30	9250
1600004S	1800	30	11100
1600005S	2000	30	12300

Pinch bar with edge and ball



article no	length mm	Ø mm	weight g
1600011S	1000	30	6150
1600012S	1250	30	7700
1600013S	1500	30	9250
1600014S	1800	30	11100
1600015S	2000	30	12300

Pinch bar with point and claw



article no	length mm	Ø mm	weight g
1600006S	1000	30	6150
1600007S	1250	30	7700
1600008S	1500	30	9250
1600009S	1800	30	11100
1600010S	2000	30	12300

Pinch bar with point and ball




article no	length mm	Ø mm	weight g
1600016S	1000	30	6150
1600017S	1250	30	7700
1600018S	1500	30	9250
1600019S	1800	30	11100
1600020S	2000	30	12300

Crowbar



article no	length mm	■ mm	weight g
1620650S	650	20 x 20	2000
1620800S	800	20 x 20	2700
1621000S	1000	20 x 20	3400
1621250S	1250	25 x 25	6200
1621500S	1500	25 x 25	7700

Bending bar



article no	length mm	S mm	d ● mm	weight g
1632000S	200	5	19	660
1633000S	300	5	19	1000
1634000S	400	5	19	1300
1635000S	500	5	19	1600
1636000S	600	5	19	2000

Crate opener



article no	length mm	weight g
7240001S	230	455

Tyre levers



article no	length mm	weight g
1630200S	200	350
1630305S	300	470
1630400S	400	600
1630500S	500	770
1630600S	600	900

Carbide drum opener




article no	length mm	weight g
0203000S	300	750

Tyre levers heavy duty offset



article no	length mm	weight g
1630610S	600	1000

Barrel hook



article no	length mm	max kg	weight g
0920600S	1060	600	3800