



FUNNELS



48 Funnels, tin plate

49 Combi funnels, tin plate



50 Funnels, polyethylene



53 Funnel sets, polyethylene



54 Funnels, polyethylene with flexible spout



57 Combi funnels, polyethylene



58 Funnels, polypropylene



59 Funnels for waste oil or chemical disposal, polyethylene



60 Tractor funnels, polyethylene



61 Oil can funnels, polyethylene



62 Accessories and spare parts for funnels

FUNNELS

Funnels, steel plate



02 342

TECHNICAL DATA

- Material: steel plate and HDPE (high density polyethylene)
- Diameter discharge spout outside (mm): 22

SPECIFICATION

- High overflow rim functions as splash guard
- Ergonomic and safe handle
- Removable strainer, brass
- Air venting ducts
- High flow rate
- Safety discharge spout, Polyethylene
- Preserved surface
- With EAN bar code

PRODUCT BENEFITS + FEATURES

- For special use in industry and workshops
- Oil and diesel-resistant

PACKAGING

- Packing unit: 6

PRODUCTS

Item-No.	Description 1	Description 2	1,3 l	3,2 l
02 342	Funnel-steel plate-galvanized	Ø 160 mm-1,3 l-strainer	×	
02 344	Funnel-steel plate-galvanized	Ø 200 mm-3,2 l-strainer		×

Abbreviations

EAN European Article Number Code (bar code)

Combi funnels, steel plate



02 645

TECHNICAL DATA

- Materials of funnel: steel plate and HDPE (high density polyethylene)
- Material of flex spout: metal
- Material of flex spout discharge: HDPE (high density polyethylene)
- Diameter of funnel shape spout a (mm): 22
- Diameter discharge spout outside (mm): 18
- Length of discharge tube (mm): 300

SPECIFICATION

- Flexible discharge spout, with tread connection
- Removable strainer, brass
- High overflow rim functions as splash guard
- Preserved surface
- Polybag, printed, with EAN bar code

PRODUCT BENEFITS + FEATURES

- For special use in industry and workshops
- Oil and diesel-resistant

PACKAGING

- Packing unit: 6

PRODUCTS

Item-No.	Description 1	Description 2	1,3 l	3,2 l
02 645	Combi funnel-steel plate-galvanized	FLMA-Ø 160 mm-1,3 l-strainer	×	
02 344 950	Combi funnel-steel plate-galvanized	FLMA-Ø 200 mm-3,2 l-strainer		×

Abbreviations

EAN	European Article Number Code (bar code)
FLMA	Flexible metal spout
HDPE	High density polyethylene

FUNNELS

Funnels, polyethylene



02 362

TECHNICAL DATA

- Material: HDPE (high density polyethylene)
- Colour: orange

SPECIFICATION

- Straight spout, with ventilation tube
- With grip tab and integral suspension eye
- With EAN bar code

PRODUCT BENEFITS + FEATURES

- Oil, acid and fuel-resistant
- Foodstuff-compatible

PACKAGING

- Packing unit: 10

PRODUCTS

Item-No.	Description 1	Description 2	0,05 l	0,09 l	0,25 l	0,27 l	0,7 l	AL Ø 8,5 mm	AL Ø 9 mm	AL Ø 10 mm	AL Ø 15 mm
02 361	Funnel	PE-Ø 50 mm-0,05 l	×					×			
02 362	Funnel	PE-Ø 75 mm-0,09 l		×					×		
02 363	Funnel	PE-Ø 100 mm-0,25 l			×					×	
02 364	Funnel	PE-Ø 100 mm-0,27 l				×					×
02 365	Funnel	PE-Ø 150 mm-0,7 l					×				×

Abbreviations

AL Ø	Diameter discharge spout outside
EAN	European Article Number Code (bar code)
HDPE	High density polyethylene
PE	Polyethylene



02 366

TECHNICAL DATA

- Material: HDPE (high density polyethylene)
- Colour: orange

SPECIFICATION

- High overflow rim functions as splash guard
- Straight spout, with ventilation tube
- With grip tab and integral suspension eye
- High flow rate
- With EAN bar code

PRODUCT BENEFITS + FEATURES

- Oil, acid and fuel-resistant

PACKAGING

- Packing unit: 6

PRODUCTS

Item-No.	Description 1	Description 2	2,9 l	3,2 l	AL Ø 24,5 mm	AL Ø 27 mm	FS-Me	Foodstuff-compatible
02 366	Funnel	PE-Ø 200 mm-2,9 l	×		×			×
02 366 017	Funnel	PE-Ø 200 mm-2,9 l-strainer	×		×		×	
02 367	Funnel	PE-Ø 250 mm-3,2 l		×		×		×
02 367 020	Funnel	PE-Ø 250 mm-3,2 l-strainer		×		×	×	

Abbreviations

AL Ø	Diameter discharge spout outside
EAN	European Article Number Code (bar code)
FS-Me	Removable strainer, brass
HDPE	High density polyethylene
PE	Polyethylene

FUNNELS

Funnels, polyethylene



TECHNICAL DATA

- Capacity (l): 1,2
- Material: HDPE (high density polyethylene)
- Colour: orange
- Diameter discharge spout outside (mm): 21,5

SPECIFICATION

- High overflow rim functions as splash guard
- Ergonomic and safe handle
- Removable strainer, brass
- Air venting ducts
- High flow rate
- Safety discharge spout, Polyethylene
- With EAN bar code

PRODUCT BENEFITS + FEATURES

- For special use in industry and workshops
- Oil, acid and fuel-resistant

PACKAGING

- Packing unit: 5

PRODUCTS

Item-No.	Description 1	Description 2
02 372	Funnel	PE-Ø 160 mm-1,2 l-strainer

Abbreviations

EAN	European Article Number Code (bar code)
HDPE	High density polyethylene
PE	Polyethylene

Funnel sets, polyethylene



02 360

TECHNICAL DATA

- Material: HDPE (high density polyethylene)
- Colour: orange

SPECIFICATION

- Grip tab, for comfortable use
- With EAN bar code
- Funnel, Ø 160 mm, with removable strainer, brass

PRODUCT BENEFITS + FEATURES

- Oil, acid and fuel-resistant
- Multiple application possibilities

PACKAGING

- Packing unit: 10

PRODUCTS

Item-No.	Description 1	Description 2	50 mm	75 mm	100 mm	120 mm	150 mm	160 mm	Foodstuff-compatible
02 360	Funnel set-PE	Ø 50-75-100-120 mm	×	×	×	×			×
02 360 954	Funnel set-PE	Ø 50-75-100-120-150 mm	×	×	×	×	×		×
02 372 043	Funnel set-PE	Ø 50-75-100-120-150-160 mm-strainer	×	×	×	×	×	×	

Abbreviations

EAN	European Article Number Code (bar code)
HDPE	High density polyethylene
PE	Polyethylene

FUNNELS

Funnels, polyethylene with flexible spout



TECHNICAL DATA

- Capacity (l): 1,2
- Material Funnels: HDPE (high density polyethylene)
- Material discharge spout: LDPE (Low density polyethylene)
- Colour: orange
- Diameter of funnel shape spout a (mm): 45
- Diameter of discharge spout, two-step, a (mm): 13 or 19
- Length flexible spout (mm): 330

SPECIFICATION

- With two-step flex spout (removable)
- High overflow rim functions as splash guard
- With safe handle
- With EAN bar code

PRODUCT BENEFITS + FEATURES

- For special use in industry and workshops
- Oil, acid and fuel-resistant
- Ideal for fuel filler pipes of cars with catalysators and other small diameter filling necks

PACKAGING

- Packing unit: 6

PRODUCTS

Item-No.	Description 1	Description 2	Removable strainer, brass	Foodstuff-compatible
02 662	Funnel	PE-FLA-Ø 160 mm-1,2 l		×
02 674	Catalysator funnel	PE-FLA-Ø 160 mm-1,2 l-strainer	×	

Abbreviations

EAN	European Article Number Code (bar code)
FLA	Flexible spout
HDPE	High density polyethylene
LDPE	Low density polyethylene
PE	Polyethylene



TECHNICAL DATA

- Capacity (l): 1,2
- Material of funnel and flex spout: HDPE (High density polyethylene)
- Material of flex spout: metal
- Colour of funnel and flex spout discharge: orange
- Diameter of funnel shape spout a (mm): 21,5
- Diameter discharge spout outside (mm): 18
- Length of discharge tube (mm): 300

SPECIFICATION

- Removable strainer, brass
- High overflow rim functions as splash guard
- Polybag, printed, with EAN bar code
- Flexible discharge spout, with tread connection

PRODUCT BENEFITS + FEATURES

- For special use in industry and workshops
- Oil, acid and fuel-resistant

PACKAGING

- Packing unit: 6

PRODUCTS

Item-No.	Description 1	Description 2
02 675	Combi funnel	PE-FLMA-Ø 160 mm-1,2 l-strainer

Abbreviations

EAN	European Article Number Code (bar code)
FLMA	Flexible metal spout
HDPE	High density polyethylene
PE	Polyethylene

FUNNELS

Funnels, polyethylene with flexible spout



TECHNICAL DATA

- Capacity (l): 0,7
- Material funnel: HDPE (high density polyethylene)
- Colour of funnel: orange
- Material flexible hose: PVC
- Colour of flexible hose: black
- Outside diameter of hose (mm) (mm): 17
- Length flexible hose (mm): 330

SPECIFICATION

- With flexible removable discharge spout
- With grip tab and integral suspension eye
- With EAN bar code

PRODUCT BENEFITS + FEATURES

- For special use in industry and workshops
- Oil, acid and fuel-resistant

PACKAGING

- Packing unit: 6

PRODUCTS

Item-No.	Description 1	Description 2
02 665	Funnel	PE-FLA-Ø 150 mm-0,7 l

Abbreviations

EAN	European Article Number Code (bar code)
HDPE	High density polyethylene
PE	Polyethylene
PVC	Polyvinyle chloride
FLA	Flexible spout

Combi funnels, polyethylene



02 562

TECHNICAL DATA

- Capacity (l): 1,2
- Material: HDPE (high density polyethylene)
- Colour: orange

SPECIFICATION

- Removable strainer, brass
- High overflow rim functions as splash guard
- With EAN bar code



PRODUCT BENEFITS + FEATURES

- Oil, acid and fuel-resistant

PACKAGING

- Packing unit: 6

PRODUCTS

Figure	Item-No.	Description 1	Description 2
	02 562	Combi funnel	PE-WAL-Ø 160 mm-1,2 l-strainer
	02 563	Combi funnel	PE-WAL-GRS-Ø 160 mm-1,2 l-strainer

Abbreviations

EAN	European Article Number Code (bar code)
GRS	Straight safety spout
HDPE	High density polyethylene
PE	Polyethylene
WAL	Angle spout

FUNNELS

Funnels, polypropylene



TECHNICAL DATA

- Capacity (l): 10
- Material: Polypropylene
- Colour: white, transparent
- Diameter discharge spout outside (mm): 31

SPECIFICATION

- High overflow rim functions as splash guard
- Straight spout
- High flow rate

PRODUCT BENEFITS + FEATURES

- Foodstuff-compatible
- Oil, acid and fuel-resistant

PACKAGING

- Packing unit: 1

PRODUCTS

Item-No.	Description 1	Description 2
02 369	Funnel-transparent	PP-Ø 350 mm-10 l

Abbreviations

PP Polypropylene

Funnels for waste oil or chemical disposal, polyethylene



02 568

TECHNICAL DATA

- Capacity (l): 3,2
- Material funnel and protection cap: HDPE (high density polyethylene)
- Colour of funnel: red
- Colour of cover: black
- Material connector: zinc die casting

SPECIFICATION

- Lockable cover
- High flow rate

PRODUCT BENEFITS + FEATURES

- For waste oil or chemical disposal
- To suit standard 60 l or 200 l containers (02 568)
- For plastic containers (02 569)

PACKAGING

- Packing unit: 1

PRODUCTS

Item-No.	Description 1	Description 2	G 2" male, drum adapter	Ø 60 mm, female thread
02 568	Funnel with lid	PE-Ø 250 mm-3,2 l-G 2" male	×	
02 569	Funnel with lid	PE-Ø 250 mm-3,2 l-inner thread		×

Abbreviations

HDPE High density polyethylene
PE Polyethylene

FUNNELS

Tractor funnels, polyethylene



TECHNICAL DATA

- Capacity (l): 4
- Material: polyethylene
- Colour: grey
- Diameter discharge spout outside (mm): 30

SPECIFICATION

- Rectangular funnel
- High overflow rim functions as splash guard
- Removable strainer, brass
- Straight spout
- High flow rate
- With EAN bar code

PRODUCT BENEFITS + FEATURES

- Oil, acid and fuel-resistant

PACKAGING

- Packing unit: 1

PRODUCTS

Item-No.	Description 1	Description 2
02 370	Tractor funnel-PE	280 x 190 mm-4 l-strainer-grey

Abbreviations

EAN	European Article Number Code (bar code)
PE	Polyethylene

Oil can funnels, polyethylene



TECHNICAL DATA

- Capacity (l): 1
- Material: HDPE (high density polyethylene)
- Colour: orange
- Diameter for refilling (mm): 120
- Diameter discharge spout outside (mm): 27

SPECIFICATION

- Filling spout fits into the filler neck of an engine
- Grip tab, with tip for opening sealing foil of oil cans
- With EAN bar code

PRODUCT BENEFITS + FEATURES

- Oil, acid and fuel-resistant
- Foodstuff-compatible

PACKAGING

- Packing unit: 6

PRODUCTS

Item-No.	Description 1	Description 2
02 671	Oil can funnel	PE-Ø 120 mm-1 l

Abbreviations

EAN	European Article Number Code (bar code)
HDPE	High density polyethylene
PE	Polyethylene

FUNNELS

Accessories and spare parts for funnels



TECHNICAL DATA

- Material: LDPE (Low density polyethylene)
- Colour: orange
- Outside diameter (mm): 39
- Diameter of discharge spout, two-step, a (mm): 12 or 19
- Length of discharge tube (mm): 320

SPECIFICATION

- Two-step
- For (02 372), (02 662), (02 674)

PRODUCT BENEFITS + FEATURES

- For special use in industry and workshops
- Oil, acid and fuel-resistant

PACKAGING

- Packing unit: 1

PRODUCTS

Item-No.	Description 1	Description 2
00 241	Flexible discharge spout-PE	for funnels-PE



TECHNICAL DATA

- Material of flex spout: metal
- Diameter (mm): 40
- Material discharge spout: HDPE (high density polyethylene)
- Diameter discharge spout outside (mm): 18
- Length of discharge tube (mm): 300

SPECIFICATION

- For funnels made of metal (02 342), (02 344), (02 344 950), (02 645)
- With EAN bar code

PRODUCT BENEFITS + FEATURES

- For special use in industry and workshops
- Oil, acid and fuel-resistant

PACKAGING

- Packing unit: 1

PRODUCTS

Item-No.	Description
02 640	Flexible discharge spout-metal



01 172

TECHNICAL DATA

- Materials: brass and LDPE (low density polyethylene)
- Mesh width (mm): 0,5



SPECIFICATION

- 02 371: For tractor funnels PE, grey (02 370)
- 01 172: For funnels, Metal and PE (02 342), (02 344), (02 352), (02 354), (02 366), (02 367), (02 372), (02 562), (02 645), (02 662), (02 674), (02 675) and variations of these articles

PACKAGING

- Packing unit: 1

PRODUCTS

For Funnels	Item-No.	Description 1	Description 2	Ø 58 mm	Ø 65,7 mm
	01 172	Fine strainer-brass	for funnels made of metal and PE	×	
	02 371	Fine strainer-brass	for tractor funnels (02 370)		×

Abbreviations

- EAN** European Article Number Code (bar code)
HDPE High density polyethylene
LDPE Low density polyethylene
PE Polyethylene