


Nylon plugs, for fixing light and medium loads, with main construction materials



**GL NYLON**

Is an innovative multipurpose anchor with great adaptability in a lot of materials. it has a **4-way structure to increase expansion**, an "elastic" collar to permit a through-fastening, and it can be used with several types of screws ensuring high load values.



**GL Nylon Anchor**  
multipurpose

USE WITH METRIC  
SCREW



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
65001	5x25	GL5	-	-	200	6400
65002	6x30	GL6	-	-	200	6400
65003	8x40	GL8	-	-	100	2000
65004	10x50	GL10	-	-	50	1000
65017	12x60	GL12	-	-	25	500
65018	14x70	GL14	-	-	25	500

**GL Nylon Anchor**

multipurpose  
bulk packed in Industrial Polybag



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
65009	5x25	GL5	-	-	1000	10000
65010	6x30	GL6	-	-	1000	10000
65011	8x40	GL8	-	-	500	10000
65012	10x50	GL10	-	-	250	5000
65019	12x60	GL12	-	-	125	2500
65020	14x70	GL14	-	-	50	2000

**GL Nylon Anchor**

multipurpose with cross flat head  
countersunk screw



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
65005	5x25	GL5VPS	4x30	5	100	3200
65006	6x30	GL6VPS	4,5x40	10	100	3200
65007	8x40	GL8VPS	5x50	10	50	1200
65008	10x50	GL10VPS	6x60	10	50	800

**GL Nylon Anchor**

with white zinc plated  
wide head screw



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
65087	5x25	GL5TL	3,5x30	5	100	2400
65013	6x30	GL6TL	4,5x40	10	100	2400
65014	8x40	GL8TL	5x50	10	50	1200

**GL Nylon Anchor**

with white zinc plated  
hexhead screw



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
65064	8x40	GL8VM	6x50	10	50	800
65065	10x50	GL10VM	7x60	10	25	400
65066	12x60	GL12VM	8x70	10	25	400
65067	14x70	GL14VM	10x80	10	20	320

**CONDOR NYLON**



stone concrete    solid brick    semisolid brick

**HIGH QUALITY NYLON**

**CONDOR Nylon Anchor**  
without collar



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTC04</b>	4x20	C4	-	-	200	6400
<b>HTC05</b>	5x25	C5	-	-	200	6400
<b>HTC06</b>	6x30	C6	-	-	200	6400
<b>HTC07</b>	7x30	C7	-	-	100	4000
<b>HTC08</b>	8x40	C8	-	-	50	2000
<b>HTC10</b>	10x50	C10	-	-	25	1000
<b>HTC12</b>	12x60	C12	-	-	25	500
<b>HTC14</b>	14x80	C14	-	-	25	500
<b>HTC1410</b>	14x100	C14A100	-	-	25	400

**CONDOR Nylon Anchor**  
without collar  
bulk packed in Industrial Polybag



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTC50</b>	5x25	C5	-	-	1000	10000
<b>HTC60</b>	6x30	C6	-	-	1000	10000
<b>HTC80</b>	8x40	C8	-	-	500	10000
<b>HTC100</b>	10x50	C10	-	-	250	5000
<b>HTC120</b>	12x60	C12	-	-	125	2500
<b>HTC140</b>	14x80	C14	-	-	50	2000

**CONDOR Nylon Anchor**  
without collar  
bulk packed



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTC500</b>	5x25	C5	-	-	-	50000
<b>HTC600</b>	6x30	C6	-	-	-	25000
<b>HTC800</b>	8x40	C8	-	-	-	10000
<b>HTC1000</b>	10x50	C10	-	-	-	5000
<b>HTC1200</b>	12x60	C12	-	-	-	2500
<b>HTC1400</b>	14x80	C14	-	-	-	2000

**CONDOR Nylon Anchor**  
without collar with white zinc plated cross flat head  
countersunk screw



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTC55</b>	5x25	C5VPS	4x30	5	100	3200
<b>HTC65</b>	6x30	C6VPS	4,5x40	5	100	3200
<b>HTC85</b>	8x40	C8VPS	5x50	5	100	1600
<b>HTC105</b>	10x50	C10VPS	6x60	10	50	800

**CONDOR NYLON**



stone concrete    solid brick    semisolid brick

**HIGH QUALITY NYLON**

**CONDOR Nylon Anchor with collar**



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTCB05</b>	5x25	CB5	-	-	200	6400
<b>HTCB06</b>	6x30	CB6	-	-	200	6400
<b>HTCB08</b>	8x40	CB8	-	-	100	2000
<b>HTCB10</b>	10x50	CB10	-	-	50	1000

**CONDOR Nylon Anchor with collar industrial pack**



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTCB50</b>	5x25	CB5	-	-	1000	10000
<b>HTCB60</b>	6x30	CB6	-	-	1000	10000
<b>HTCB80</b>	8x40	CB8	-	-	500	10000
<b>HTCB100</b>	10x50	CB10	-	-	250	5000

**CONDOR Nylon Anchor with collar bulk packed**




ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTCB500</b>	5x25	CB5	-	-	-	60000
<b>HTCB600</b>	6x30	CB6	-	-	-	25000
<b>HTCB800</b>	8x40	CB8	-	-	-	10000
<b>HTCB1000</b>	10x50	CB10	-	-	-	5000

**CONDOR Nylon Anchor complete with collar and cross flat head countersunk chipboard screw, whit zinc plated**



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTCB55</b>	5x25	CB5VPS	4x30	5	100	3200
<b>HTCB65</b>	6x30	CB6VPS	4,5x40	5	100	3200
<b>HTCB85</b>	8x40	CB8VPS	5x50	5	100	1600
<b>HTCB105</b>	10x50	CB10VPS	6x60	10	50	800

**UNIVERSAL NYLON**



**HIGH QUALITY NYLON**

**UNIVERSAL Nylon Anchor**  
with collar



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HNU06</b>	6x35	NU6/35	-	-	200	4000
<b>HNU08</b>	8x42	NU8/42	-	-	100	2000
<b>HNU080</b>	8x50	NU8/50	-	-	50	1000
<b>HNU10</b>	10x60	NU10/60	-	-	25	500

**UNIVERSAL Nylon Anchor**  
with collar industrial packed




ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HNU60</b>	6x35	NU6/35	-	-	1000	5000
<b>HNU80</b>	8x42	NU8/42	-	-	500	5000
<b>HNU0800</b>	8x50	NU8/50	-	-	500	5000
<b>HNU100</b>	10x60	NU10/60	-	-	250	2500

**UNIVERSAL Nylon Anchor**  
with collar, with white zinc plated  
countersunk flat head screw



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HNUV06</b>	6x35	NU6/35V	4x45	10	100	3200
<b>HNUV08</b>	8x42	NU8/42V	4,5x60	8	100	800
<b>HNUV080</b>	8x50	NU8/50V	4,5x60	10	100	800
<b>HNUV10</b>	10x60	NU10/60V	5x70	10	50	800

**GBU NYLON**



**HIGH QUALITY NYLON**

**GBU Nylon Anchor**  
with collar



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HGBU06</b>	6x40	GBU6	-	-	200	4000
<b>HGBU08</b>	8x50	GBU8	-	-	100	2000
<b>HGBU10</b>	10x60	GBU10	-	-	50	1000

**GBU Nylon Anchor**  
with collar industrial packed




ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HGBU60</b>	6x40	GBU6	-	-	1000	5000
<b>HGBU80</b>	8x50	GBU8	-	-	500	5000
<b>HGBU100</b>	10x60	GBU10	-	-	250	2500

**GBU Nylon Anchor**  
with collar, with white zinc plated  
countersunk flat head screw



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HGBUV06</b>	6x40	GBU6/V	3,5x50	10	100	1600
<b>HGBUV08</b>	8x50	GBU8/V	4,5x60	10	50	800
<b>HGBUV10</b>	10x60	GBU10/V	6x80	10	50	800

**CASA NYLON**



**HIGH QUALITY NYLON**

**CASA CA9-40 Nylon Anchor**  
**CASA CA12-45 Nylon Anchor**



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs	
<b>HTS01</b>	9x40	CA9-40/1	M4	-	100	800	<b>24,63</b>
<b>HTL01</b>	12x45	CA12-45/1	M5	-	50	400	<b>31,27</b>

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs	
<b>HTS02</b>	9x40	CA9-40/2	M4	-	100	800	<b>24,71</b>
<b>HTL02</b>	12x45	CA12-45/2	M5	-	50	400	<b>32,41</b>

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs	
<b>HTS03</b>	9x40	CA9-40/3	M4	-	100	800	<b>27,01</b>
<b>HTL03</b>	12x45	CA12-45/3	M5	-	50	400	<b>36,65</b>

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs	
<b>HTS04</b>	9x40	CA9-40/4	M4x35	25	100	800	<b>31,95</b>
<b>HTL04</b>	12x45	CA12-45/4	M5x40	30	50	400	<b>41,46</b>


ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs	
<b>HTS05</b>	9x40	CA9-40/5	M4	-	100	800	<b>28,17</b>
<b>HTL05</b>	12x45	CA12-45/5	M5	-	50	400	<b>36,25</b>

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs	
<b>HTS06</b>	9x40	CA9-40/6	M4	-	100	800	<b>28,75</b>
<b>HTL06</b>	12x45	CA12-45/6	M5	-	50	400	<b>38,32</b>

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs	
<b>HTS07</b>	9x40	CA9-40/7	M4x50	8	150	1200	<b>21,89</b>
<b>HTL07</b>	12x45	CA12-45/7	M5x55	5	100	800	<b>30,07</b>

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs	
<b>HTL10</b>	12x45	CA12-45/10	M5	-	50	400	<b>87,45</b>

**CASA NYLON**



**HIGH QUALITY NYLON**

**CASA CA9-40 Nylon Anchor  
CASA CA12-45 Nylon Anchor**



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
<b>HTS09</b>	9x40	CA9-40/9	M4	-	25	200	<b>60,42</b>



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
<b>HTS10</b>	9x40	CA9-40/10	M4	-	25	200	<b>67,87</b>

**CASA CA9-50 Nylon Anchor  
CASA CA12-58 Nylon Anchor**



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
<b>HTS11</b>	9x50	CA9-50/1	M4	-	100	800	<b>33,66</b>
<b>HTL11</b>	12x58	CA12-58/1	M5	-	50	400	<b>45,66</b>



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
<b>HTS71</b>	9x50	CA9-50/7	M4x60	8	150	1200	<b>28,10</b>
<b>HTL71</b>	12x58	CA12-58/7	M5x70	10	50	400	<b>39,66</b>




ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
<b>HTL21</b>	12x58	CA12-58/7	M5	-	50	400	<b>45,89</b>



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
<b>HTL61</b>	12x58	CA12-58/6	M5	-	50	400	<b>54,40</b>

**CASA NYLON**



**HIGH QUALITY NYLON**

**CASA Nylon Anchor**



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HTE91*</b>	9x40	NC9/1	4x45	-	100	800

ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HTE92*</b>	9x40	NC9/2	4x45	-	100	800


ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HTE93*</b>	9x40	NC9/3	4x45	-	100	800

ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HTE94*</b>	9x40	NC9/4	4x45	-	100	800

ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HTE95*</b>	9x40	NC9/5	4x55	-	150	1200

\* Ad esaurimento


**BRIC BCM NYLON Anchor**



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HBM08</b>	12x72	BCM8	-	-	50	400
<b>HBM10</b>	14x72	BCM10	-	-	50	400

**REGGIMENSOLA BCS**

Invisible steel bracket for floating shelves



ART.	Ø x L t	DESCR.	SCREW	t <sub>fix</sub>	BOX	CARTON
	mm		mm	mm	pcs	pcs
<b>HBC01</b>	12x58	BCS8/70	-	-	20	320
<b>HBC02</b>	12x72	BCS10/100	-	-	20	160
<b>HBC03</b>	12x72	BCS10/150	-	-	20	160
<b>HBC08</b>	14x72	BCS12/100	-	-	20	160
<b>HBC09</b>	14x72	BCS12/120	-	-	20	160
<b>HBC10</b>	14x72	BCS12/145	-	-	20	160
<b>HBC04</b>	14x72	BCS14/120	-	-	20	80
<b>HBC05</b>	14x72	BCS14/145	-	-	20	80
<b>HBC06</b>	14x72	BCS14/170	-	-	20	80



**CASA BG6-BG8-BG9**



stone concrete    solid brick

**CASA Steel Anchor**



ART.	Ø x L t <sub>t</sub> mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HT61</b>	6x30	BG6/1	M3	-	200	3200
<b>HT81</b>	8x35	BG8/1	M4	-	100	800
<b>HT91</b>	9x40	BG9/1	M5	-	100	800

ART.	Ø x L t <sub>t</sub> mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HT82</b>	8x35	BG8/2	M4	-	100	800
<b>HT92</b>	9x40	BG9/2	M5	-	100	800

ART.	Ø x L t <sub>t</sub> mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HT88</b>	8x35	BG8/8	M4	-	100	800
<b>HT98</b>	9x40	BG9/8	M5	-	100	800

ART.	Ø x L t <sub>t</sub> mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HT86</b>	8x35	BG8/6	M4x35	-	100	800
<b>HT96</b>	9x40	BG9/6	M5x40	-	50	400

ART.	Ø x L t <sub>t</sub> mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HT64</b>	6x30	BG6/4	M3	-	200	3200
<b>HT84</b>	8x35	BG8/4	M4	-	100	800
<b>HT94</b>	9x40	BG9/4	M5	-	50	400

ART.	Ø x L t <sub>t</sub> mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HT63</b>	6x30	BG6/3	M3	-	200	3200
<b>HT83</b>	8x35	BG8/3	M4	-	100	800
<b>HT93</b>	9x40	BG9/3	M5	-	50	400

ART.	Ø x L t <sub>t</sub> mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HT65</b>	6x30	BG6/5	M3	-	200	3200
<b>HT85</b>	8x35	BG8/5	M4	-	100	1600
<b>HT95</b>	9x40	BG9/5	M5	-	150	1200

ART.	Ø x L t <sub>t</sub> mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HT910</b>	9x40	BG9/10	M5	-	50	400




Nylon frame anchors and long expansion anchors complete with steel screw. Designed for through fixing of variable thickness profiles and frames.



**GX-L NYLON**

PATENTED G&B



on line  
**G&B** CALCULATION PROGRAM  
professional design of anchorage in concrete

**GX-L NYLON Anchor**

with countersunk flat head screw, POZIDRIVE



ETA12-0261

**GX-L NYLON Anchor**

with countersunk flat heat screw TORX T30



ETA12-0261

**GX-L NYLON Anchor**

with countersunk flat head screw TORX T40



ETA12-0261



GX-L Ø 10mm

**GX-L NYLON Anchor**

with countersunk flat head screw TORX T30 and T40

**STAINLESS STEEL AISI 316 (A4)**



ETA12-0261



GX-L Ø 10mm

**GX-L NYLON Anchor**

with HEXAGONAL ALL ROUND HEAD screw TORX T40



ETA12-0261



GX-L Ø 10mm

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
97099*	6x60	GXL660V	4x65	20	150	1200
97001	8x80	GXL880V	5,5x85	10	100	800
97002	8x100	GXL8100V	5,5x105	30	50	400
97003	8x120	GXL8120V	5,5x125	50	50	400
97004	8x140	GXL8140V	5,5x145	70	50	400

\* NOT INCLUDED IN ETA Approval

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
97005	8x80	GXL880VT	5,5x85	10	100	800
97006	8x100	GXL8100VT	5,5x105	30	50	400
97007	8x120	GXL8120VT	5,5x125	50	50	400
97035	8x140	GXL8140VT	5,5x145	70	50	400
97177	8x170	GXL8170VT	5,5x175	100	50	400
97178	8x200	GXL8200VT	5,5x205	130	50	400

NEW

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
97008	10x80	GXL1080VT	7x85	10	50	400
97009	10x100	GXL10100VT	7x105	30	50	400
97010	10x120	GXL10120VT	7x125	50	50	400
97011	10x140	GXL10140VT	7x145	70	50	400
97012	10x160	GXL10160VT	7x165	90	50	400
97013	10x200	GXL10200VT	7x205	130	25	200
97014	10x240	GXL10240VT	7x245	170	20	160
97015	10x260	GXL10260VT	7x265	190	20	160

INOX (A4)

NEW


ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
97175	8x80	GXL880VTI	5,5 x 85	10	800	200
97183	8x100	GXL8100VTI	5,5x105	30	50	400
97184	8x120	GXL8120VTI	5,5x125	50	50	400
97016	10x80	GXL1080VTI	7x85	10	50	400
97017	10x100	GXL10100VTI	7x105	30	50	400
97018	10x120	GXL10120VTI	7x125	50	50	400
97019	10x140	GXL10140VTI	7x145	70	25	200
97020	10x160	GXL10160VTI	7x165	90	25	200

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
97030	10x80	GXL1080VEFT	7x85	10	50	400
97031	10x100	GXL10100VEFT	7x105	30	50	400
97032	10x120	GXL10120VEFT	7x125	50	25	200
97033	10x140	GXL10140VEFT	7x145	70	25	200
97034	10x160	GXL10160VEFT	7x165	90	25	200



**GX-L NYLON**

BREVETTATO G&B



on line  
**G&B** CALCULATION PROGRAM  
professional design of anchorage in concrete

**GX-L NYLON Anchor**  
with hexagonal head screw



ART.	Ø x L t mm	DESCR.	SCREW mm	t fix mm	BOX pcs	CARTON pcs
97126	8x80	GXL880VE	5,5 x 85	10	100	800
97127	8x100	GXL8100VE	5,5x105	30	50	400
97128	8x120	GXL8120VE	5,5x125	50	50	400
97022	10x80	GXL1080VE	7x85	10	50	400
97023	10x100	GXL10100VE	7x105	30	50	400
97024	10x120	GXL10120VE	7x125	50	50	400
97025	10x140	GXL10140VE	7x145	70	25	200
97026	10x160	GXL10160VE	7x165	90	25	200
97027	10x200	GXL10200VE	7x205	130	25	200
97028	10x240	GXL10240VE	7x245	170	20	160
97029	10x260	GXL10260VE	7x265	190	20	120

**GX-L NYLON Anchor**  
with hexagonal head screw  
**STAINLESS STEEL AISI 316 (A4)**

INOX (A4)



ART.	Ø x L t mm	DESCR.	SCREW mm	t fix mm	BOX pcs	CARTON pcs
97118	10x80	GXL1080VEI	7x85	10	50	400
97119	10x100	GXL10100VEI	7x105	30	50	400
97120	10x120	GXL10120VEI	7x125	50	50	400

**GX-L NYLON Anchor - Ø 10 mm**  
with **VAST - ANTI THEFT SCREW TORX T40**



ART.	Ø x L t mm	DESCR.	SCREW mm	t fix mm	BOX pcs	CARTON pcs
97089	10x80	GXL1080VA	7x85	10	50	400
97090	10x100	GXL10100VA	7x105	30	50	400
97091	10x120	GXL10120VA	7x125	50	50	300
97092	10x140	GXL10140VA	7x145	70	25	200
97093	10x160	GXL10160VA	7x165	90	25	200

**TORX**  
hexagonal bits, 10 pcs packed bag




ART.	Ø x L t mm	DESCR.	SCREW mm	t fix mm	BOX pcs	CARTON pcs
TIP3	25	TORXT30	-	-	20	100
TIP1	25	TORXT40	-	-	20	100

**VAST - ANTI THEFT SCREW**  
TORX T40



ART.	Ø x L t mm	DESCR.	SCREW mm	t fix mm	BOX pcs	CARTON pcs
TVAS01	-	VAST85	7x85	-	100	600
TVAS02	-	VAST105	7x105	-	100	600
TVAS03	-	VAST125	7x125	-	100	600
TVAS04	-	VAST145	7x145	-	100	600
TVAS05	-	VAST165	7x165	-	100	600

## CONDOR CORNICE NYLON



stone concrete solid brick

**HIGH QUALITY NYLON**

### CONDOR CORNICE Nylon Anchor with countersunk flat head screw POZIDRIVE SLOT



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
HTV01	6x60	C6A60V	4x65	30	150	1200
HTV015	8x60	C8A60V	5,5x65	20	100	800
HTV02	8x80	C8A80V	5,5x85	40	100	800
HTV03	8x100	C8A100V	5,5x105	60	50	400
HTV04	8x120	C8A120V	5,5x125	80	50	400
HTV06	10x65	C10A65V	7x70	20	50	400
HTV07	10x80	C10A80V	7x85	32	50	400
HTV08	10x100	C10A100V	7x105	55	50	400
HTV09	10x115	C10A115V	7x120	70	50	400
HTV10	10x135	C10A135V	7x140	90	25	200
HTV11	10x160	C10A160V	7x165	115	25	200

### CONDOR CORNICE Nylon Anchor with hexagonal head screw 5.8



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
HTVE015	8x60	C8A60VE	5,5x65	10	100	800
HTVE02	8x80	C8A80VE	5,5x85	10	100	800
HTVE03	8x100	C8A100VE	5,5x105	10	50	400
HTVE04	8x120	C8A120VE	5,5x125	10	50	400
HTVE07	10x80	C10A80VE	7x85	13	50	400
HTVE08	10x100	C10A100VE	7x105	13	50	400
HTVE09	10x115	C10A115VE	7x125	13	50	400
HTVE10	10x135	C10A135VE	7x145	13	25	200
HTVE11	10x160	C10A160VE	7x165	13	25	200

## LATER CORNICE NYLON



semisolid brick hollow brick

### LATER CORNICE Nylon Anchor - Ø 10 mm




ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
19005	10x80	C10A80LU	-	-	100	1200
19001	10x100	C10A100LU	-	-	100	1200
19002	10x120	C10A120LU	-	-	100	1200
19003	10x140	C10A140LU	-	-	100	900
19004	10x160	C10A160LU	-	-	100	900
HTLA1216	12x160	C12A160LU	-	-	-	400

### LATER CORNICE Nylon Anchor - Ø 8 mm with countersunk POZIDRIVE flat head screw



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
HTLAU07	8x80	C8A80LUV	5x85	5	50	400
HTLAU01	8x100	C8A100LUV	5x105	25	50	400
HTLAU02	8x120	C8A120LUV	5x125	45	50	400
HTLAU03	8x140	C8A140LUV	5x145	45	50	400

**LATER CORNICE NYLON**



semisolid brick    hollow brick

**LATER CORNICE Nylon Anchor - Ø 10 mm**  
with countersunk POZIDRIVE flat head screw



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTLAU10</b>	10x80	C10A80LUV	7x85	5	50	400
<b>HTLAU08</b>	10x100	C10A100LUV	7x105	25	50	400
<b>HTLAU04</b>	10x120	C10A120LUV	7x125	45	50	400
<b>HTLAU05</b>	10x140	C10A140LUV	7x145	65	25	200
<b>HTLAU06</b>	10x160	C10A160LUV	7x165	85	25	200
<b>HTLAU09</b>	10x200	C10A200LUV	7x205	125	25	300

**LATER CORNICE Nylon Anchor - Ø 10 mm**  
with countersunk TORX slotted flat head screw TORX T40




ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTLAUT10</b>	10x80	C10A80LUVT	7x85	5	50	400
<b>HTLAUT08</b>	10x100	C10A100LUVT	7x105	25	50	400
<b>HTLAUT04</b>	10x120	C10A120LUVT	7x125	45	50	400
<b>HTLAUT05</b>	10x140	C10A140LUVT	7x145	65	25	200
<b>HTLAUT06</b>	10x160	C10A160LUVT	7x165	85	25	200
<b>HTLAUT09</b>	10x200	C10A200LUVT	7x205	125	25	300

**LATER CORNICE Nylon Anchor - Ø 10 mm**  
with hexagonal head screw



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTLAUE10</b>	10x80	C10A80LUE	7x85	5	50	400
<b>HTLAUE08</b>	10x100	C10A100LUE	7x105	25	50	400
<b>HTLAUE04</b>	10x120	C10A120LUE	7x125	45	50	400
<b>HTLAUE05</b>	10x140	C10A140LUE	7x145	65	25	200
<b>HTLAUE06</b>	10x160	C10A160LUE	7x165	85	25	200
<b>HTLAUE09</b>	10x200	C10A200LUE	7x205	125	25	300

**LATER CORNICE Nylon Anchor - Ø 12 mm**  
with hexagonal head screw




ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTLAUE11</b>	12x160	C10A80LUE	10x165	5	20	160
<b>HTLAUE12</b>	12x200	C10A100LUE	10x205	45	20	160
<b>HTLAUE13</b>	12x240	C10A120LUE	10x245	85	20	160

**LATER CORNICE Nylon Anchor - Ø 16 mm**  
with hexagonal head flanged screw TORX T40



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>37093</b>	16x140	C16A140LUEFT	12x145	15	10	80
<b>37094</b>	16x160	C16A160LUEFT	12x165	35	10	80
<b>37095</b>	16x200	C16A200LUEFT	12x205	75	10	80
<b>37096</b>	16x240	C16A240LUEFT	12x245	115	10	80

**TURBO JET NYLON**



stone concrete solid brick

**TURBO JET Nylon Anchor**  
with **countersunk collar** grey RAL 7035  
countersunk flat head nail screw white zinc plated



PREASSEMBLED

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
93025	5x27	TJ5-27SV	3,5x32	5	100	2000
93026	5x37	TJ5-37SV	3,5x42	15	100	2000
93027	5x47	TJ5-47SV	3,5x52	25	100	2000
93028	6x32	TJ6-32SV	3,5x37	5	100	2000
93029	6x40	TJ6-40SV	3,8x45	10	100	2000
93030	6x55	TJ6-55SV	3,8x60	25	100	1200
93031	6x67	TJ6-67SV	3,8x72	37	100	1200
93032	6x80	TJ6-80SV	3,8x85	50	50	800
93033	8x45	TJ8-45SV	4,8x50	10	100	1200
93034	8x60	TJ8-60SV	4,8x65	25	100	800
93035	8x75	TJ8-75SV	4,8x80	40	100	800
93036	8x100	TJ8-100SV	4,8x105	65	50	400
93037	8x120	TJ8-120SV	4,8x125	85	50	400
93038	8x135	TJ8-135SV	4,8x140	100	50	400

**TURBO JET Nylon Anchor**  
with **flat collar** grey RAL 7035  
countersunk flat head nail screw white zinc plated



PREASSEMBLED

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
93011	5x27	TJ5-27V	3,5x32	5	100	2000
93012	5x37	TJ5-37V	3,5x42	15	100	2000
93013	5x47	TJ5-47V	3,5x52	25	100	2000
93014	6x32	TJ6-32V	3,5x37	5	100	2000
93015	6x40	TJ6-40V	3,8x45	10	200	2000
93016	6x55	TJ6-55V	3,8x60	25	100	1200
93017	6x67	TJ6-67V	3,8x72	37	100	1200
93018	6x80	TJ6-80V	3,8x85	50	50	800
93019	8x45	TJ8-45V	4,8x50	10	100	1200
93020	8x60	TJ8-60V	4,8x65	25	10	800
93021	8x75	TJ8-75V	4,8x80	40	100	800
93022	8x100	TJ8-100V	4,8x105	65	50	400
93023	8x120	TJ8-120V	4,8x125	85	50	400
93024	8x135	TJ8-135V	4,8x140	100	50	400

**TURBO JET Nylon Anchor**  
with **countersunk collar** grey RAL 7035  
countersunk flat head nail screw  
**STAINLESS STEEL AISI 304 ( A2)**

INOX (A2)



PREASSEMBLED

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
HTTSI21	5x30	T5-30SI	3,5x35	5	100	2000
HTTSI22	5x50	T5-50SI	3,5x55	25	100	2000
HTTSI23	6x40	T6-40SI	3,8x45	10	100	2000
HTTSI230	6x50	T6-50SI	3,8x55	20	100	1200
HTTSI24	6x60	T6-60SI	3,8x65	30	100	1200
HTTSI30	6x80	T6-80SI	3,8x85	50	50	800
HTTSI25	8x60	T8-60SI	4,8x65	20	100	1200
HTTSI26	8x80	T8-80SI	4,8x85	40	100	800
HTTSI27	8x100	T8-100SI	4,8x105	60	50	400
HTTSI28	8x120	T8-120SI	4,8x125	80	50	400

**TURBO Nylon Anchor - Ø 10 mm**  
with **countersunk collar** grey RAL 7035  
countersunk flat head nail screw white zinc plated



PREASSEMBLED

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
41242	10x100	T10-100VI	6x105	50	50	400
41243	10x120	T10-120VI	6x125	70	50	400
41244	10x140	T10-140VI	6x145	90	25	200
41245	10x160	T10-160VI	6x165	110	25	200



**TURBO JET NYLON  
HAMMERSCREW**



stone concrete    solid brick

**TURBO JET Nylon Anchor**  
with rounded collar grey RAL 7035  
countersunk flat head nail screw white zinc plated



PREASSEMBLED

**TURBO JET Nylon Anchor**  
with rounded collar dark brown RAL 8017  
with black countersunk nail screw



PREASSEMBLED

**TURBO JET Nylon Anchor**  
with rounded collar dark brown RAL 8017  
with copper countersunk nail screw



PREASSEMBLED

**TURBO JET Nylon Anchor**  
with rounded collar and nail screw M6



PREASSEMBLED

**TURBO Nylon Anchor**  
for baseboard with bronzed nail screw



PREASSEMBLED

**TURBO Steel Anchor Flat Collar**  
Steel flat collar



PREASSEMBLED

**TURBO Zamak Rounded Collar**  
Zamak Rounded Collar



PREASSEMBLED

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
93001	5x27	TJ5-27B	3,5x32	5	100	2000
93002	5x37	TJ5-37B	3,5x42	15	100	2000
93003	6x32	TJ6-32B	3,8x37	5	100	2000
93004	6x40	TJ6-40B	3,8x45	10	100	2000
93005	6x55	TJ6-55B	3,8x60	25	100	1200
93006	8x45	TJ8-45B	4,8x50	10	100	1200
93007	8x60	TJ8-60B	4,8x60	25	100	800

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
93008	6x32	TJ6-36BM	3,8x40	5	100	2000
93009	6x40	TJ6-40BM	3,8x50	10	100	2000
93010	6x55	TJ6-55BM	3,8x60	25	100	1200

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
93039	6x32	TJ6-32BR	3,8x40	5	100	2000
93040	6x40	TJ6-40BR	3,8x50	10	100	2000
93041	6x55	TJ6-55BR	3,8x60	25	100	1200

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
93042	6x40	TJ6-40VF	4x45	-	100	1600

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
HTT20	4x30	T4-30SV	2,5x35	10	200	2000

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
41254	6x35	T6-35V B/FLAT COLLAR	3,3x40	13	200	1600

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
41250	6x30	T6-30B	3,8x35	8	200	1600
41251	6x40	T6-40B	3,8x45	15	100	1600
41252	6x50	T6-50B	3,8x65	20	100	1600
41253	6x65	T6-65B	3,8x70	35	100	1600

## INFISSO NYLON ANCHOR



stone concrete   solid brick   semisolid brick   hollow brick

### INFISSO Nylon Anchor

with countersunk steel screw (5.8, pilot hole) through fastening



PREASSEMBLED



Rapporto n. 007QI/12

ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HTF50</b>	8x80	K8C80	5x85	30	100	800
<b>HTF51</b>	8x100	K8C100	5x105	50	100	800
<b>HTF52</b>	8x120	K8C120	5x125	70	50	400
<b>HTF53</b>	8x140	K8C140	5x145	90	50	400
<b>HTF60</b>	10x80	K10C80	6x85	30	100	800
<b>HTF61</b>	10x100	K10C100	6x105	50	100	800
<b>HTF62</b>	10x120	K10C120	6x125	70	100	800
<b>HTF63</b>	10x140	K10C140	6x145	90	50	400
<b>HTF64</b>	10x165	K10C165	6x165	115	50	400

### Screw COVER CAPS (for INFISSO NYLON)



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>HCL15</b>	-	calotta CL15 bianca	-	-	50	1000

### TORX Inserts (for GETO INFISSO screws)

hexagonal bits, 10 pcs packed bag



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>TIP3</b>	25	TORXT30	-	-	25	100
<b>TIP1</b>	25	TORXT40	-	-	25	100



stone concrete   solid brick   semisolid brick

### Screw T.C.E.\*

self tapping screw cylindrical head bolt with embedded hex (spanner 5)

White zinc plated steel C15 - UNI 6947

Suited for assembling aluminium and PVC frames and profiles.



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
<b>88001*</b>	4,8x13	TCE13	-	-	1000	8000
<b>88002*</b>	4,8x16	TCE16	-	-	1000	8000
<b>88006*</b>	4,8x32	TCE32	-	-	1000	6000
<b>88008*</b>	4,8x45	TCE45	-	-	500	4000
<b>88010*</b>	4,8x60	TCE60	-	-	250	2000

\* Selling out

**VITI GETO**



stone concrete    solid brick    semisolid brick

**GETO frame screws**

self tapping screw, white zinc plated with cylindrical head  
TORX T-30 Ø 7,5 mm  
TORX T-15 Ø 5,0 mm



Rapporto n. 007QI/12



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
TVGC07	-	GC5-62	5x62	-	100	1600
TVGC08	-	GC5-82	5x82	-	100	1600
TVGC16	-	GC52	7,5x52	-	100	1600
TVGC10	-	GC72	7,5x72	-	100	1000
TVGC17	-	GC82	7,5x82	-	100	1000
TVGC11	-	GC92	7,5x92	-	100	1000
TVGC18	-	GC102	7,5x102	-	100	1000
TVGC12	-	GC112	7,5x112	-	100	1000
TVGC19	-	GC122	7,5x122	-	100	800
TVGC13	-	GC132	7,5x132	-	100	800
TVGC14	-	GC152	7,5x152	-	100	800
TVGC15	-	GC182	7,5x182	-	100	600
TVGC21	-	GC212	7,5x212	-	100	600

**GETO frame screws**

self tapping screw, white zinc plated with countersunk head TORX T-30




Rapporto n. 007QI/12



ART.	Ø x L t mm	DESCR.	SCREW mm	t <sub>fix</sub> mm	BOX pcs	CARTON pcs
TVGS17	-	GS 52	7,5x52	-	100	1600
TVGS20	-	GS72	7,5x72	-	100	1000
TVGS21	-	GS92	7,5x92	-	100	1000
TVGS18	-	GS 102	7,5x102	-	100	1000
TVGS22	-	GS112	7,5x112	-	100	1000
TVGS28	-	GS122	7,5x122	-	100	800
TVGS23	-	GS132	7,5x132	-	100	800
TVGS24	-	GS152	7,5x152	-	100	800
TVGS25	-	GS182	7,5x182	-	100	800

**Cover caps for screws GETO INFISSO T30**

Perfect seal even if the screw is not inserted perpendicular to the support



**NEW**

ART.	VITE	DESCR.	RAL	BOX pcs	CARTON pcs
HCL01	T30	CL WHITE	-	50	-
HCL02	T30	CL BLACK	-	50	-
HCL03	T30	CL GREY	-	50	-
HCL04	T30	CL IVORY	-	50	-
HCL05	T30	CL DARK BROWN	-	50	-
HCL06	T30	CL BROWN	-	50	-