



Screwdrivers

We have the know-how at the tip of our fingers.

Unlike many standard tools available on the market, Wiha screwdrivers are optimally designed for users' requirements. Thanks to Wiha's screwdriver handle size concept, four handle sizes and lengths, optimally adapted to their specific fastening or work task, ensure health-friendly work practices. With SoftFinish, Wiha became the world's first and only hand tool manufacturer to have products honoured with the renowned AGR quality seal - a seal of approval accepted by medical professionals and officially recommended by doctors and therapists. Wiha screwdrivers featuring SoftFinish are available for dry applications, damp and oily applications and as VDE-certified, insulated screwdrivers for use when working on live parts.

Wiha is the world's first hand tool manufacturer to receive AGR (Association for healthy backs) certification for its Inomic pliers and ergonomic screwdriver handle size concept, a seal of approval accepted by medical professionals and officially recommended by doctors and physiotherapists.

For applications in
electrics


**Screwdriver and bit set
slimVario® screwdriver
Slotted, Phillips,
Pozi driv, 10-pcs. incl.
folding bag**

Page 130




**Screwdriver set
SoftFinish® electric
slimFix
assorted 12-pcs.**

Page 131



**Screwdriver set
SoftFinish® electric
slimFix
Slotted, Phillips 6-pcs.**

Page 132



**Screwdriver with bit
holder set electric
slimVario®
Stubby 4 pieces with
slimBits**

Page 134



**slimBit electric bit set
Slotted, 7-pcs. incl.
SlimBit box**

Page 136



**Screwdriver SoftFinish®
electric slimFix
Slotted**

Page 140



**PicoFinish® electric fin
e screwdriver
Slotted**

Page 141



**PicoFinish® electric fin
e screwdriver
Slotted**

Page 142



For applications in
mechanics


**Screwdriver set
SoftFinish®
assorted 12-pcs.**

Page 143



**Screwdriver set
SoftFinish®
Slotted, Phillips 6-pcs.**

Page 143




**Screwdriver set SoftFinish®
Slotted, Phillips hexagonal
blade and solid steel cap,
6-pcs.**

Page 145



**Fine screwdriver set Pic
oFinish®
8-pcs. mixed, includin
g tweezers for iPhone®/
Apple® devices**

Page 145



**Screwdriver SoftFinish®
Slotted with round
blade for low-lying
screws**

Page 147



**Screwdriver SoftFinish®
Slotted with one-piece
hexagonal blade and solid
steel cap**

Page 151



**Fine screwdriver set
PicoFinish®
Slotted, Phillips 7-pcs.**

Page 153



**Screwdriver SoftFinish®
Slotted with short round
blade**

Page 152



**Screwdriver set
MicroFinish®
Slotted, Phillips with
one-piece hexagonal
blade and solid steel cap,
5-pcs.**

Page 156



**Screwdriver
MicroFinish®
TORX® with round blade**

Page 156



**Screwdriver MicroFinish®
Slotted with one-piece
hexagonal blade and solid
steel cap**

Page 158



**Screw extractor set
Hex, 17-pcs. with spiral
drill bit incl. box**

Page 160



For applications in
electronics

**Screwdriver set
SoftFinish® ESD
Slotted, Phillips 5-pcs.**

Page 157



**Fine screwdriver
set PicoFinish® ESD
Slotted, Phillips, 7 pcs.
incl. holder**

Page 158



**Screwdriver SoftFinish®
ESD
Slotted**

Page 158



Screwdriver and bit set slimVario® screwdriver



Mixed, 19-pcs. incl. folding bag

2831T18

Order-No.	
41231	1
	1 x Screwdriver with bit holder SoftFinish® electric slimVario
	1 x Screwdriver with bit holder SoftFinish® electric slimVario for slimBits
	1 x 2.5 mm / 1 x 3.5 mm / 1 x 5.5 mm
	1 x PH1 / 1 x PH2
	1 x PZ1 / 1 x PZ2
	1 x SL/PZ1 / 1 x SL/PZ2
	1 x T9 / 1 x T10 / 1 x T15 / 1 x T20
	1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm
	1 x Folding bag

Manufactured acc. to IEC 60900.

Screwdriver and bit set slimVario® screwdriver



Slotted, Phillips, Pozidriv, 10-pcs. incl. folding bag

2831T901

Order-No.	
41232	1
	1 x Screwdriver with bit holder SoftFinish® electric slimVario
	1 x Screwdriver with bit holder SoftFinish® electric slimVario for slimBits
	1 x 2.5 mm / 1 x 3.5 mm / 1 x 5.5 mm
	1 x PH1 / 1 x PH2
	1 x PZ1 / 1 x PZ2
	1 x Folding bag

Manufactured acc. to IEC 60900.

Slotted, Pozidriv, PlusMinus/Pozidriv, 10-pcs. incl. folding bag

2831T902

Order-No.	
41233	1
	1 x Screwdriver with bit holder SoftFinish® electric slimVario
	1 x Screwdriver with bit holder SoftFinish® electric slimVario for slimBits
	1 x 2.5 mm / 1 x 3.5 mm / 1 x 5.5 mm
	1 x PZ1 / 1 x PZ2
	1 x SL/PZ1 / 1 x SL/PZ2
	1 x Folding bag

Manufactured acc. to IEC 60900.

INFOBOX:
slimTECHNOLOGY



Wiha SoftFinish® electric slimFix

- Unlimited access.
- Blades up to 33 % narrower due to integrated insulation.
- Tool for spring clips (wedge-profiled output geometry).

Screwdriver set SoftFinish® electric slimFix




assorted 12-pcs.

3201K12

Order-No.		
41003		1
⊖	3.5 mm x 100 mm / 4.0 mm x 100 mm / 5.5 mm x 125 mm / 6.5 mm x 150 mm	
⊕	PH1 x 80 mm / PH2 x 100 mm	
⊕	PZ1 x 80 mm / PZ2 x 100 mm	
⊕	SL/PZ2 x 100 mm	
⊕	T15 x 100 mm / T20 x 100 mm / T25 x 125 mm	

Manufactured acc. to IEC 60900.

**INFOBOX:
Handle size concept**



Wiha SoftFinish® handle sizes

- Every Wiha handle optimally balances guidance, speed and torque for the respective fastening task.
- Quick-turning - Motor skills are consistently taken into consideration.
- Maximum power transmission: comfortable and loss-free transmission of physical strength, even during intensive fastening.
- The power-turning and quick-turning zones (length) vary significantly over the four handle sizes in various forms.
- The Wiha SoftFinish screwdrivers enable work that is kind on the hands and muscles and is therefore recommended by doctors and therapists from the AGR.

**INFOBOX:
VDE-certified tools**



Wiha VDE-tested tools are subject to stringent safety test procedures.

All tools with the special marking have been tested at 10,000 V AC and are therefore approved for use at 1,000 V AC and 1,500 V DC.

The following equipment is required for all work on or around live components and should be appropriate for the specific task

insulating personal protective equipment

- insulating safety mechanisms
- insulated tools
- Before starting work, you must disconnect all active, live components of electrical machines and equipment and ensure that they remain disconnected while you carry out the work.

This is achieved by complying with the five safety rules:

disconnect

- secure against reconnection
- ensure power is switched off
- earth and short-circuit
- cover or block off adjacent live components
- Certified by the VDE Testing and Certification Institute and individually tested according to the international standard IEC 60900.



Screwdriver set SoftFinish® electric slimFix



Slotted, Phillips 6-pcs.

3201K6

Order-No.  1
35389

-  3.5 mm x 100 mm / 4.0 mm x 100 mm / 5.5 mm x 125 mm / 6.5 mm x 150 mm
-  PH1 x 80 mm / PH2 x 100 mm

Manufactured acc. to IEC 60900.

Slotted, Phillips, PlusMinus/Pozidriv 6-pcs.

3201K601

Order-No.  1
38362



-  3.5 mm x 100 mm / 4.0 mm x 100 mm / 5.5 mm x 125 mm
-  PH1 x 80 mm / PH2 x 100 mm
-  SL/PZ2 x 100 mm

Manufactured acc. to IEC 60900.

Slotted, Pozidriv 6-pcs

3201ZK6

Order-No.  1
36455


-  3.5 mm x 100 mm / 4.0 mm x 100 mm / 5.5 mm x 125 mm / 6.5 mm x 150 mm
-  PZ1 x 80 mm / PZ2 x 100 mm

Manufactured acc. to IEC 60900.

TORX® Tamper Resistant (with hole) 6-pcs.

3251TRK6

Order-No.  1
41245


-  T10H x 100 mm / T15H x 100 mm / T20H x 100 mm / T25H x 125 mm / T30H x 125 mm / T40H x 150 mm

Manufactured acc. to IEC 60900.

TORX® 6-pcs.

3251K6

Order-No.  1
36558

-  T8 x 60 mm / T9 x 60 mm / T10 x 100 mm / T15 x 100 mm / T20 x 100 mm / T25 x 125 mm

Manufactured acc. to IEC 60900. T8 + T9 no slim version.

Manufactured acc. to IEC 60900.

Screwdriver set SoftFinish® electric slimFix



Slotted, PlusMinus/Pozidriv, 2-pcs.

SB3201S204

Order-No.  1
36333

-  3.5 mm x 100 mm
-  SL/PZ2 x 100 mm

Manufactured acc. to IEC 60900.

INFOBOX:
Combination profiles



PlusMinus.

- The special PlusMinus/Pozidriv profile is ideal for PlusMinus terminal screws.
- The combination profile reduces slipping out and guarantees a higher torque transmission.

Screwdriver set SoftFinish® electric



Slotted, Phillips 7-pcs.


320NK7

Order-No.	
00834	1
⊖	2.5 mm x 75 mm / 4.0 mm x 100 mm / 5.5 mm x 125 mm / 6.5 mm x 150 mm
⊕	PH1 x 80 mm / PH2 x 100 mm
⊖	Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip

Manufactured acc. to IEC 60900.

Slotted, Phillips 6-pcs.


320NK6

Order-No.	
00833	1
⊖	3.0 mm x 100 mm / 4.0 mm x 100 mm / 5.5 mm x 125 mm / 6.5 mm x 150 mm
⊕	PH1 x 80 mm / PH2 x 100 mm

Manufactured acc. to IEC 60900.

Slotted, Pozidriv 6-pcs

320NZK6SO

Order-No.	
25477	1
⊖	2.5 mm x 75 mm / 3.5 mm x 100 mm / 4.5 mm x 125 mm / 5.5 mm x 125 mm
⊕	PZ1 x 80 mm / PZ2 x 100 mm


Manufactured acc. to IEC 60900.

Screwdriver set SoftFinish® electric



PlusMinus/Phillips pack 2-pcs.


SB327S2

Order-No.	
32281	1
⊕	SL/PH1 x 80 mm / SL/PH2 x 100 mm

Manufactured acc. to IEC 60900.

PlusMinus/Pozidriv, 2-pcs.

SB328S2

Order-No.	
32282	1
⊕	SL/PZ1 x 80 mm / SL/PZ2 x 100 mm

Manufactured acc. to IEC 60900.

Screwdriver set SoftFinish® electric



Hexagon nut driver 5-pcs.

322K5

Order-No.	
29466	1
○	5.5 mm x 125 mm / 7.0 mm x 125 mm / 8.0 mm x 125 mm / 10.0 mm x 125 mm / 13.0 mm x 125 mm

Manufactured acc. to IEC 60900.

Fine screwdriver set PicoFinish® slimVario® electric



4-pcs. with slimBits

SB28310401

Order-No.	
43167	5
	Fine screwdriver PicoFinish® slimVario® electric
⊖	2.0 mm
⊕	PH0
⊕	PZ0

Manufactured acc. to IEC 60900.

Screwdriver with bit holder set electric slimVario®



SB28310101

Order-No.	
41230	1
○	Screwdriver with bit holder SoftFinish® electric slimVario
⊖	3.5 mm
⊕	PH2
⊕	SL/PZ2

Manufactured acc. to IEC 60900.

Screwdriver with bit holder set SoftFinish® slimVario® electric



SB28310301

Order-No.	
43449	5
○	Screwdriver with bit holder SoftFinish® electric slimVario for slimBits
⊖	5.5 mm
⊕	SL/PZ1 x 75 mm / SL/PZ2 x 75 mm

Manufactured acc. to IEC 60900.

Extension slimVario® electric



for slimBits

2831

Order-No.

43292 6

slimVario® electric adapter



for 1/4" nut driver

2831

Order-No.

mm



43139 6.0

59

6

Fine screwdriver set PicoFinish® electric



Slotted, Phillips, 7 pcs. incl. holder

2270PK601

Order-No.

42989



1

⊖ 1 x 1.5 mm x 50 mm / 1 x 2.0 mm x 50 mm /
1 x 2.5 mm x 65 mm / 1 x 3.0 mm x 65 mm

⊕ 1 x PH00 x 50 mm / 1 x PH0 x 65 mm

1 x holder

Screwdriver with bit holder SoftFinish® electric slimVario



for slimBits

2831

Order-No.



34577 6.0

30

50

160

13

5

Manufactured acc. to IEC 60900.

INFOBOX:
PicoFinish electric



Wiha PicoFinish electric: The VDE-GS tested precision screwdriver.

- The smooth-running turn-cap enables fast turning.
- Imprint with the screw symbol and sizes eases recognition.



TORX®, TORX PLUS®, 15-pcs. Incl. slimBit boxes and belt holder

SB2831B950

Order-No.	
43161	1
	1 x T6 / 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15
	1 x 6IP / 1 x 7IP / 1 x 8IP / 1 x 9IP / 1 x 10IP / 1 x 15IP
	2 x slimBit box
	1 x Belt holster for slimBit box

Tested according to IEC 60900.

Slotted, Phillips, Pozidriv, PlusMinus/Pozidriv, TORX® 15-pcs. Incl. slimBit boxes and belt holder

SB2831B951

Order-No.	
43162	1
	1 x 3.5 mm / 1 x 5.5 mm
	1 x PH1 / 1 x PH2
	1 x PZ1 / 1 x PZ2
	1 x SL/PZ1 / 1 x SL/PZ2
	1 x T10 / 1 x T15 / 1 x T20 / 1 x T25
	2 x slimBit box
	1 x Belt holster for slimBit box

Tested according to IEC 60900.



Slotted, 7-pcs. incl. SlimBit box

SB2831B001

Order-No.	
43152	1
	1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.5 mm / 1 x 4.0 mm / 1 x 5.5 mm / 1 x 6.5 mm
	1 x slimBit box

Tested according to IEC 60900.

TORX®, 7-pcs. incl. SlimBit box

SB2831B501

Order-No.	
43153	1
	1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25
	1 x slimBit box

Tested according to IEC 60900.

TORX®, 7-pcs. incl. SlimBit box

SB2831B502

Order-No.	
43154	1
	1 x T6 / 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15
	1 x slimBit box

Tested according to IEC 60900.

TORX PLUS®, 7-pcs. incl. SlimBit box

SB2831B601

Order-No.	
43155	1
	1 x 6IP / 1 x 7IP / 1 x 8IP / 1 x 9IP / 1 x 10IP / 1 x 15IP
	1 x slimBit box

Tested according to IEC 60900.

Hex, 7-pcs. incl. SlimBit box




SB2831B801

Order-No.	
43156	1
	1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm
	1 x slimBit box

Tested according to IEC 60900.

Slotted, Pozidriv 7-pcs. incl. SlimBit box




SB2831B900

Order-No.	
43157	1
	1 x 2.5 mm / 1 x 3.5 mm / 1 x 5.5 mm / 1 x 6.5 mm
	1 x PZ1 / 1 x PZ2
	1 x slimBit box

Tested according to IEC 60900.

Slotted, PlusMinus/Pozidriv 7-pcs. incl. SlimBit box




SB2831B901

Order-No.	
43158	1
	1 x 2.5 mm / 1 x 3.5 mm / 1 x 5.5 mm / 1 x 6.5 mm
	1 x SL/PZ1 / 1 x SL/PZ2
	1 x slimBit box

Tested according to IEC 60900.

Slotted, Phillips 7-pcs. incl. SlimBit box





SB2831B902

Order-No.	
43159	1
	1 x 2.5 mm / 1 x 3.5 mm / 1 x 5.5 mm / 1 x 6.5 mm
	1 x PH1 / 1 x PH2
	1 x slimBit box

Tested according to IEC 60900.

Slotted, Phillips, Pozidriv 7-pcs. incl. SlimBit box







SB2831B903

Order-No.	
43160	1
	1 x 2.0 mm / 1 x 2.5 mm
	1 x PH0 / 1 x PH1
	1 x PZ0 / 1 x PZ1
	1 x slimBit box

Tested according to IEC 60900.

Mixed 7-pcs. incl. slimBit box






SB2831B904

Order-No.	
44366	1
	1 x 2.5 mm
	1 x PH1
	1 x PZ1
	1 x SL/PZ1
	1 x T9 / 1 x T10
	1 x slimBit box

Tested according to IEC 60900.

Power slimBit electric bit set**Mixed 7-pcs. incl. slimBit box**




SB2831PB900

Order-No.	
44106	1
	1 x Bit Power slimBit electric - Slotted 5.5
	1 x Bit Power slimBit electric - PH2
	1 x Bit Power slimBit electric - SL/PZ2
	1 x Bit Power slimBit electric - T15 / 1 x Bit Power slimBit electric - T20 / 1 x Bit Power slimBit electric - T25
	1 x slimBit box

Tested according to IEC 60900.

Slotted, hex, 7-pcs. incl. slimBit box

SB2831PB901

Order-No.	
44107	1
	1 x Bit Power slimBit electric - Slotted 6.5
	1 x Bit Power slimBit electric - Innensechskant 2.5 / 1 x Bit Power slimBit electric - Innensechskant 3 / 1 x Bit Power slimBit electric - Innensechskant 4 / 1 x Bit Power slimBit electric - Innensechskant 5 / 1 x Bit Power slimBit electric - Innensechskant 6
	1 x slimBit box

Tested according to IEC 60900.

slimBit electric bit



Slotted

283110

Order-No.		mm		max. Nm	
43114	1.5•	75	0.4	0.2	5
43115	2.0•	75	0.4	0.4	5
34578	2.5•	75	0.4	0.4	5
34579	3.0•	75	0.5	0.6	5
41159	3.5	75	0.6	1.4	5
34580	4.0	75	0.8	2.5	5
34581	5.5	75	1.0	3.8	5
34582	6.5	75	1.2	5.5	5

•no slim version
Manufactured acc. to IEC 60900.

Slotted with pivot

283110

Order-No.		mm		max. Nm	
44385	3.5	75	0.6	1.4	5

Phillips

283111

Order-No.		mm	max. Nm	
43116	PH0•	75	0.9	5
34583	PH1	75	3.8	5
34584	PH2	75	5.5	5

•no slim version
Manufactured acc. to IEC 60900.

Pozidriv

283112

Order-No.		mm	max. Nm	
43117	PZ0•	75	0.9	5
34585	PZ1	75	3.8	5
34586	PZ2	75	5.5	5

•no slim version
Manufactured acc. to IEC 60900.

PlusMinus/Phillips

283113

Order-No.		mm	max. Nm	
34587	SL/PH1	75	3.8	5
34588	SL/PH2	75	5.5	5

Manufactured acc. to IEC 60900.

PlusMinus/Pozidriv

283114

Order-No.		mm	max. Nm	
34589	SL/PZ1	75	3.8	5
34590	SL/PZ2	75	5.5	5

Manufactured acc. to IEC 60900.

TORX®

283115

Order-No.		mm	max. Nm	
43140	T5•	75	0.4	5
43141	T6•	75	0.6	5
43142	T7•	75	0.9	5
35506	T8•	75	1.3	5
41160	T9•	75	2.5	5
35507	T10•	75	3.8	5
35508	T15	75	5.0	5
35509	T20	75	5.5	5
36071	T25	75	5.5	5

•no slim version
Manufactured acc. to IEC 60900.

TORX PLUS®

283116

Order-No.		mm	max. Nm	
43143	5IP•	75	0.5	5
43144	6IP•	75	0.8	5
43145	7IP•	75	1.3	5
43146	8IP•	75	2.0	5
43147	9IP•	75	3.0	5
43148	10IP•	75	4.5	5
43149	15IP•	75	5.5	5
43150	20IP•	75	5.5	5
43151	25IP•	75	5.5	5

•no slim version
Manufactured acc. to IEC 60900.

Hex

283118

Order-No.		mm	max. Nm	
37222	1.5•	75	0.9	5
37223	2.0•	75	1.8	5
37224	2.5•	75	3.8	5
37147	3.0•	75	5.5	5
37225	4.0•	75	5.5	5
37226	5.0•	75	5.5	5
37227	6.0•	75	5.5	5

•no slim version
Manufactured acc. to IEC 60900.

Square

283117

Order-No.		mm	max. Nm		
35510	#1	2.3	75	5.5	5
35511	#2	2.8	75	5.5	5

Manufactured acc. to IEC 60900.



empty, 2-pcs. with belt clip

SB2831B992

Order-No.	
43164	1
2 x slimBit box	
1 x Belt holster for slimBit box	



empty

2831

Order-No.	
43163	1

INFOBOX:
slimTECHNOLOGY



Wiha SoftFinish® electric slimFix

- Unlimited access.
- Blades up to 33 % narrower due to integrated insulation.
- Tool for spring clips (wedge-profiled output geometry).



Slotted

3201

Order-No.				mm		
35446	3.5	100	0.6	204	23	10
35390	4.0	100	0.8	211	30	10
35501	4.5	125	1.0	236	30	10
35391	5.5	125	1.0	243	36	10
35392	6.5	150	1.2	268	36	10

Manufactured acc. to IEC 60900.

Phillips

3211

Order-No.			mm		
35393	PH1	80	191	30	10
35394	PH2	100	218	36	10

Manufactured acc. to IEC 60900.

Pozidriv

3241

Order-No.			mm		
35395	PZ1	80	191	30	10
35396	PZ2	100	218	36	10

Manufactured acc. to IEC 60900.

PlusMinus/Phillips

3271

Order-No.			mm		
35502	SL/PH1	80	191	30	10
35503	SL/PH2	100	218	36	10

Manufactured acc. to IEC 60900.

PlusMinus/Pozidriv

3281

Order-No.			mm		
36329	SL/PZ1	80	191	30	10
36330	SL/PZ2	100	218	36	10

Manufactured acc. to IEC 60900.

TORX® Tamper Resistant (with hole)

3251TR

Order-No.			mm		
41141	T10H	100	204	23	10
41142	T15H	100	211	30	10
41143	T20H	100	211	30	10
41144	T25H	125	243	36	10
41145	T27H	125	243	36	10
41146	T30H	125	243	36	10
41147	T40H	150	268	36	10

Manufactured acc. to IEC 60900.

TORX®

3251

Order-No.			mm		
36536	T10	100	204	23	10
36537	T15	100	211	30	10
36538	T20	100	211	30	10
36539	T25	125	243	36	10
36540	T27	125	243	36	10
36541	T30	125	243	36	10
36542	T40	150	268	36	10

Manufactured acc. to IEC 60900.

Square

3581

Order-No.			mm	
35504	#1	2.3	211	10
35505	#2	2.8	243	10



Slotted

320N

Order-No.				mm		
00819	2.0	60	0.4	164	23	10
00820	2.5	75	0.4	179	23	10
00821	3.0	100	0.5	204	23	10
00822	3.5	100	0.6	204	23	10
00823	4.0	100	0.8	211	30	10
00824	4.5	125	1.0	236	30	10
00825	4.5	175	1.0	286	30	5
31863	4.5	200	1.0	311	30	5
00826	5.5	125	1.0	243	36	10
00827	5.5	175	1.0	293	36	5
00828	6.0	150	1.2	268	36	10
00829	6.5	150	1.2	268	36	10
00830	8.0	175	1.2	299	41	10
00831	8.0	175	1.6	299	41	10
00832	10.0	200	1.6	324	41	5

Manufactured acc. to IEC 60900.

Phillips

321N

Order-No.			mm		
00846	PH0	60	164	23	10
00847	PH1	80	191	30	10
00848	PH2	100	218	36	10
00849	PH3	150	268	41	10
00850	PH4	200	318	41	5

Manufactured acc. to IEC 60900.

Pozidriv

324

Order-No.			mm		
00877	PZ0	60	164	23	10
00878	PZ1	80	191	30	10
00879	PZ2	100	218	36	10
00880	PZ3	150	324	41	5

Manufactured acc. to IEC 60900.

PlusMinus/Phillips

327

Order-No.			mm		
30716	SL/PH1	80	191	30	10
30715	SL/PH2	100	218	36	10

Manufactured acc. to IEC 60900.

PlusMinus/Pozidriv

328

Order-No.			mm		
30700	SL/PZ1	80	191	30	10
30701	SL/PZ2	100	218	36	10

Manufactured acc. to IEC 60900.

TORX®

325

Order-No.			mm		
03760	T5	60	164	23	10
03761	T6	60	164	23	10
03762	T7	60	164	23	10
00881	T8	60	164	23	10
00882	T9	60	164	23	10

Manufactured acc. to IEC 60900.

Hex

323N

Order-No.			mm		
30361	2.5	75	179	23	10
30362	3.0	75	179	23	10
30363	4.0	75	186	30	10
30364	5.0	75	186	30	10
30365	6.0	100	218	36	10
30366	8.0	100	218	36	10

Manufactured acc. to IEC 60900.

Square

358N

Order-No.			mm			
32396	#1	2.3	100	211	30	10
32397	#2	2.8	150	268	36	10

Manufactured acc. to IEC 60900.

Screwdriver set SoftFinish® electric



Hex nut driver

322

Order-No.	⌀	↔	mm	⊥	⊥	⊥
00853	4.0	125	236	30	10.2	10
00855	5.0	125	236	30	11.2	10
00856	5.5	125	236	30	11.2	10
00857	6.0	125	236	30	12.2	10
00858	7.0	125	243	36	14.5	10
00859	8.0	125	243	36	15.2	10
00860	9.0	125	243	36	16	10
00861	10.0	125	243	36	17.2	10
00864	13.0	125	243	41	22.2	5
00862	11.0	125	243	41	19.2	5
00865	14.0	125	243	41	23.2	5
00863	12.0	125	243	41	20.2	5
00866	15.0	125	243	41	25.2	5
00867	16.0	125	243	41	25.2	5
00868	17.0	125	243	41	27.2	5

Manufactured acc. to IEC 60900.

PicoFinish® electric fine screwdriver



Slotted

2270P

Order-No.	⌀	↔	⊥	mm	⊥	⊥
42374	1.5	50	2	152	18	10
42375	2.0	50	2	152	18	10
42376	2.5	65	2.5	167	18	10
42377	3.0	65	3	167	18	10
42471	3.5	65	3.5	167	18	10

Manufactured acc. to IEC 60900.

Phillips

2271P

Order-No.	⊕	↔	⊥	mm	⊥	⊥
42379	PH00	50	2	152	18	10
42378	PH0	65	3	167	18	10
42380	PH1	65	4	167	18	10

Manufactured acc. to IEC 60900.

Voltage tester SoftFinish® single-pole, 110-250 volts



Slotted transparent, with push-on clip

25511

Order-No.	⌀	↔	mm	⊥	SB	⊥
34745	3.0	60	140	19	-	10
35378	3.0	60	140	19	-	5

Voltage tester 220-250 volts



Slotted transparent, with push-on clip

2553

Order-No.	⌀	↔	mm	⊥	SB	⊥
05271	3.0	60	140	15	-	10
32201	3.0	60	140	15	-	5

Voltage tester 150-250 volts



Slotted black, with push-on clip

2557

Order-No.	⌀	↔	mm	⊥	SB	⊥
00456	3.0	60	160	17	-	10
31771	3.0	60	160	17	-	1

Screwdriver set SoftFinish®



assorted 12-pcs.

302HK12

Order-No.		1
41002		
⊖	4.0 mm x 100 mm / 3.5 mm x 100 mm / 6.5 mm x 150 mm	
⊕	PH1 x 80 mm / PH2 x 100 mm / PH3 x 150 mm	
⊗	PZ1 x 80 mm / PZ2 x 100 mm	
⊛	T15 x 80 mm / T20 x 100 mm / T25 x 100 mm / T30 x 115 mm	

Screwdriver set SoftFinish®



Slotted, Phillips 6-pcs.

302HK6SO

Order-No.		1
07152		
⊖	3.5 mm x 100 mm / 4.5 mm x 125 mm / 5.5 mm x 150 mm / 6.5 mm x 150 mm	
⊕	PH1 x 80 mm / PH2 x 100 mm	

Phillips, Pozidriv 6-pcs.

302HK601

Order-No.		1
26113		
⊖	4.0 mm x 100 mm / 5.5 mm x 125 mm / 6.5 mm x 150 mm	
⊕	PH1 x 80 mm / PH2 x 100 mm	
⊗	PZ2 x 100 mm	

Slotted, Pozidriv 6-pcs

302ZK6SO

Order-No.		1
07153		
⊖	3.5 mm x 100 mm / 4.5 mm x 125 mm / 5.5 mm x 150 mm / 6.5 mm x 150 mm	
⊗	PZ1 x 80 mm / PZ2 x 100 mm	

TORX® MagicSpring® 6-pcs.

362FK6SO

Order-No.		1
27746		
⊛	T10 x 80 mm / T15 x 80 mm / T20 x 100 mm / T25 x 100 mm / T30 x 115 mm / T40 x 130 mm	

TORX® 7-pcs.

362K7

Order-No.		1
01299		
⊛	T8 x 60 mm / T9 x 60 mm / T10 x 80 mm / T15 x 80 mm / T20 x 100 mm / T25 x 100 mm / T30 x 115 mm	

TORX® 6-pcs.

362K6SO

Order-No.		1
07155		
⊛	T10 x 80 mm / T15 x 80 mm / T20 x 100 mm / T25 x 100 mm / T30 x 115 mm / T40 x 130 mm	

TORX® Tamper Resistant (with hole) 6-pcs.

362TRK6

Order-No.		1
24506		
⊛	T10H x 80 mm / T15H x 80 mm / T20H x 100 mm / T25H x 100 mm / T30H x 115 mm / T40H x 130 mm	

INFOBOX: Wiha SoftFinish® screwdriver



The convenient expert for dry applications.

- The SoftFinish handle provides optimal grip for dry applications in trade and industry.
- The position of the soft and hard zones on the handle also supports the perfect grip for quick and powerful turning.

Screwdriver set SoftFinish®



Phillips, Pozidriv 6-pcs.

311K6

Order-No.	
26146	1
	PH1 x 80 mm / PH2 x 100 mm / PH3 x 150 mm
	PZ1 x 80 mm / PZ2 x 100 mm / PZ3 x 150 mm

Screwdriver set SoftFinish®



Slotted, Phillips with hexagon head 6-pcs.

308HK6

Order-No.	
21248	1
	3.5 mm x 75 mm / 4.5 mm x 90 mm / 5.5 mm x 100 mm / 7.0 mm x 125 mm
	PH1 x 80 mm / PH2 x 100 mm

Screwdriver set SoftFinish®



Hexagon nut driver 5-pcs.

341K5

Order-No.	
01034	1
	5.5 mm x 125 mm / 7.0 mm x 125 mm / 8.0 mm x 125 mm / 10.0 mm x 125 mm / 13.0 mm x 125 mm

Slotted, Pozidriv with hexagon head, 6-pcs.

308ZK6


Order-No.	
21249	1
	3.5 mm x 75 mm / 4.5 mm x 90 mm / 5.5 mm x 100 mm / 7.0 mm x 125 mm
	PZ1 x 80 mm / PZ2 x 100 mm

Screwdriver set SoftFinish®




Slotted, Phillips hexagonal blade and solid steel cap, 6-pcs.

530HK6

Order-No.	
21250	1
⊖	3.5 mm x 75 mm / 4.5 mm x 90 mm / 5.5 mm x 100 mm / 6.5 mm x 125 mm
⊕	PH1 x 80 mm / PH2 x 100 mm

Slotted with one-piece hexagonal blade and solid steel cap

530ZK6

Order-No.	
21251	1
⊖	4.5 mm x 90 mm / 3.5 mm x 75 mm / 5.5 mm x 100 mm / 6.5 mm x 125 mm
⊕	PZ1 x 80 mm / PZ2 x 100 mm

INFOBOX: Solid steel cap and hexagon head




- The solid steel cap at the end of the screwdriver handle enables targeted hammering, e.g. to loosen jammed screws.
- The direct connection of the solid steel cap to the blade means that the impact energy is transmitted without any loss.
- Blade includes a hexagon bolster for using a set of spanners for additional torque.

Fine screwdriver set PicoFinish®




Slotted, Phillips 7-pcs.

260PK701

Order-No.	
42991	1
⊖	1.5 mm x 40 mm / 2.0 mm x 40 mm / 2.5 mm x 50 mm / 3.0 mm x 50 mm
⊕	PH00 x 40 mm / PH0 x 50 mm / PH1 x 60 mm


Slotted, Phillips, 7 pcs. incl. holder

260PK601

Order-No.	
42990	1
⊖	1.5 mm x 40 mm / 2.0 mm x 40 mm / 2.5 mm x 50 mm / 3.0 mm x 50 mm
⊕	PH00 x 40 mm / PH0 x 50 mm
	holder


TORX® MagicSpring®, 7 pcs. incl. holder

267PRK601

Order-No.	
42998	1
⊕	T6 x 40 mm / T7 x 40 mm / T8 x 40 mm / T9 x 50 mm / T10 x 50 mm / T15 x 60 mm
	holder


TORX®, 7 pcs. incl. holder

267PK601

Order-No.	
42996	1
⊕	T7 x 40 mm / T8 x 40 mm / T9 x 50 mm / T10 x 50 mm / T15 x 60 mm / T20 x 60 mm
	holder




TORX®, 7 pcs. incl. holder

267PK6M01

Order-No.	
42997	1
⊕	T4 x 40 mm / T5 x 40 mm / T6 x 40 mm / T7 x 40 mm / T8 x 40 mm / T9 x 50 mm
	holder




Hexagonal ball end, 7 pcs. incl. holder

264PK601

Order-No.	
42993	1
	0.9 mm x 0,035" x 40 mm
	1.3 mm x 0.05 x 40 mm / 1.5 mm x 50 mm / 2.0 mm x 50 mm / 2.5 mm x 60 mm / 3.0 mm x 60 mm
	holder
Ball end from AF 1.3 upwards	



Hex, 7 pcs. incl. holder

263PK601

Order-No.	
42992	1
	0.9 mm x 0,035" x 40 mm
	1.3 mm x 0,05" x 40 mm / 1.5 mm x 50 mm / 2.0 mm x 5/64" x 50 mm / 2.5 mm x 60 mm / 3.0 mm x 60 mm
	holder


Hex nut driver, 7 pcs. incl. holder

265PK601

Order-No.	
42994	1
	2.5 mm x 60 mm / 3.0 mm x 60 mm / 3.5 mm x 60 mm / 4.0 mm x 60 mm / 5.0 mm x 60 mm / 5.5 mm x 60 mm
	holder

Fine screwdriver set PicoFinish®**8-pcs. mixed, including tweezers for iPhone®/ Apple® devices**

266PK801

Order-No.	
42995	1
	PH000 x 40 mm / PH00 x 40 mm
	PL1 x 40 mm / PL2 x 40 mm
	2.5 mm x 60 mm
	T3 x 40 mm
	Y000 x 40 mm
	2a, 120 mm

Screwdriver SoftFinish®



With round blade for low-lying screws



With round blade



Slotted with round blade for low-lying screws

302

Order-No.							
00684	2.0	65	0.4	2	169	23	10
00685	2.5	75	0.4	2.5	179	23	10
00687	3.0	100	0.5	3	204	23	10
00689	3.0	150	0.5	3	254	23	10
00690	3.0	200	0.5	3	304	23	10
32383	3.0	300	0.5	3	404	23	5
00686	3.0	80	0.5	3	184	23	10
00691	3.5	100	0.6	3.5	204	23	10
26931	3.5	200	0.6	3.5	304	23	10
00692	4.0	100	0.8	4	211	30	10
00694	4.0	150	0.8	4	261	30	10
00695	4.0	200	0.8	4	311	30	10
00696	4.0	300	0.8	4	411	30	5
00697	4.5	125	0.8	4.5	236	30	10
27753	4.5	80	0.8	4.5	191	30	10
00698	5.5	125	1.0	5.5	236	30	10
00700	5.5	150	1.0	5.5	261	30	10
00701	5.5	200	1.0	5.5	311	30	10
00702	5.5	300	1.0	5.5	411	30	5
32384	6.0	300	1.0	6	418	36	5

Slotted with round blade

3022

Order-No.							
27754	6.0	100	1.0	5.5	218	36	10
27755	6.0	150	1.0	5.5	268	36	10
00704	6.5	100	1.2	6	218	36	10
00703	6.5	150	1.2	6	268	36	10
00706	6.5	200	1.2	6	318	36	10
00708	8.0	150	1.2	7	274	41	10
00707	8.0	175	1.2	7	299	41	5
00709	8.0	175	1.6	7	299	41	5
32399	8.0	300	1.2	7	424	41	5
00711	10.0	200	1.6	8	324	41	5
32400	10.0	300	1.6	8	424	41	5
00712	12.0	250	2.0	8	374	41	5
00713	14.0	250	2.5	11	374	41	5

Phillips with round blade

311

Order-No.						
00754	PH0	60	3	164	23	10
27756	PH0	100	3	204	23	10
00756	PH1	80	4.5	191	30	10
27757	PH1	100	4.5	211	30	10
00757	PH1	200	4.5	311	30	10
03738	PH1	300	4.5	411	30	5
00759	PH2	100	6	218	36	10
27758	PH2	150	6	268	36	10
00760	PH2	200	6	318	36	10
03739	PH2	300	6	418	36	5
00762	PH3	150	8	274	41	10
00763	PH4	200	10	324	41	5

Pozidriv with round blade

313

Order-No.						
00768	PZ0	60	3	164	23	10
00770	PZ1	80	4.5	191	30	10
26454	PZ1	300	4.5	411	30	5
00772	PZ2	100	6	218	36	10
26455	PZ2	300	6	418	36	5
00774	PZ3	150	8	274	41	10

TORX® ball end 6-pcs.

362BE

Order-No.							
32250	T9	60	7/64"	2.8	164	23	10
32251	T10	60	1/8"	3.2	184	23	10
32252	T15	80	9/64"	3.6	191	30	10
32253	T20	80	5/32"	4	211	30	10
32254	T25	100	3/16"	4.8	218	36	10
32255	T27	115	7/32"	5.6	233	36	10
32256	T30	115	1/4"	6.4	233	36	10







TORX® MagicSpring® with round blade

362R

Order-No.						
27736	T6	60	3.5	164	23	10
27737	T7	60	3.5	164	23	10
27738	T8	60	3.5	164	23	10
27739	T9	60	4	171	30	10
27740	T10	80	4	191	30	10
27741	T15	80	4	191	30	10
27742	T20	100	4	218	36	10
27743	T25	100	4.5	218	36	10
27811	T27	115	5.5	233	36	10
27744	T30	115	6	233	36	10
27745	T40	130	7	254	41	10






TORX® with round blade

362

Order-No.						
26259	T3	60	2.5	164	23	10
26260	T4	60	2.5	164	23	10
01285	T5	60	2.5	164	23	10
01286	T6	60	3.5	164	23	10
01287	T7	60	3.5	164	23	10
01288	T8	60	3.5	164	23	10
01289	T9	60	4	171	30	10
01290	T10	80	4	191	30	10
01291	T15	80	4	191	30	10
01292	T20	100	4	218	36	10
01293	T25	100	4.5	218	36	10
01294	T27	115	5.5	233	36	10
01295	T30	115	6	233	36	10
01296	T40	130	7	254	41	10
01297	T45	130	8	254	41	5







TORX® Tamper Resistant (with hole) with round blade

362TR







Order-No.					
03106	T7H	60	164	23	10
03107	T8H	60	164	23	10
03108	T9H	60	171	30	10
26457	T10H	300	411	30	5
01305	T30H	115	233	36	10
01304	T27H	115	233	36	10
01303	T25H	100	211	30	10
01302	T20H	100	211	30	10
01301	T15H	80	191	30	10
01300	T10H	80	191	30	10
28005	T20H	300	411	30	5
26458	T15H	300	411	30	5
01306	T40H	130	254	41	10

TORX PLUS® MagicSpring® with round blade

362RIP






Order-No.						
28760	6IP	60	3.5	164	23	10
28761	7IP	60	3.5	164	23	10
28762	8IP	60	3.5	164	23	10
28763	9IP	60	4	171	30	10
28764	10IP	80	4	191	30	10
28765	15IP	80	4	191	30	10
28766	20IP	100	4	218	36	10

362IP

Order-No.						
26091	6IP	60	3.5	164	23	10
26093	7IP	60	3.5	164	23	10
26095	8IP	60	3.5	164	23	10
26097	9IP	60	4	171	30	10
26099	10IP	80	4	191	30	10
26101	15IP	80	4	191	30	10
26103	20IP	100	4	218	36	10
26105	25IP	100	4.5	218	36	10
26107	27IP	115	5.5	233	36	10
26109	30IP	115	6	233	36	10
26111	40IP	130	7	254	41	10






MagicRing® hexagonal ball end with hexagonal blade

367R

Order-No.					
26077	3.0	100	204	23	10
26079	4.0	100	211	30	10
26081	5.0	100	211	30	10
26083	6.0	125	243	36	10
26085	8.0	150	268	36	10






Hexagonal ball end with hexagonal blade

367

Order-No.					
26303	1.5	75	179	23	10
26304	2.0	100	204	23	10
26305	2.5	100	204	23	10
26328	3.0	100	204	23	10
26329	4.0	100	211	30	10
26330	5.0	100	211	30	10
26331	6.0	125	243	36	10
26332	8.0	150	268	36	10
26333	10.0	150	271	41	5
26307	12.0	150	271	41	5

Hexagon with hexagonal blade

356

Order-No.					
32264	1.5	60	164	23	10
32265	2.0	60	164	23	10
26190	2.5	75	179	23	10
26191	3.0	75	179	23	10
26192	4.0	75	186	30	10
26193	5.0	75	186	30	10
26194	6.0	100	218	36	10
26195	8.0	100	218	36	10

Screwdriver SoftFinish®



Hexagon angled

357

Order-No.						
26230	3.0	35	20	139	23	10
26231	4.0	40	25	151	30	10
26232	5.0	45	28	156	30	10
26233	6.0	50	32	168	36	10
26234	8.0	60	36	178	36	10

Terminal actuation tool SoftFinish®



slotted 3.0 x 0.5 mm

3023

Order-No.							
43894	3.0	0.5	70	3	174	23	10

Screwdriver SoftFinish®



Hexagon nut driver with round blade

341

Order-No.						
01018	4.0	6.9	125	236	30	10
01020	5.0	7.9	125	236	30	10
01021	5.5	7.9	125	236	30	10
01022	6.0	8.9	125	236	30	10
01023	7.0	10.9	125	243	36	10
01024	8.0	11.9	125	243	36	10
01025	9.0	12.9	125	243	36	10
01026	10.0	14.4	125	243	36	10
01027	11.0	15.9	125	249	41	5
01028	12.0	16.9	125	249	41	5
01029	13.0	18.4	125	249	41	5
01030	14.0	19.4	125	249	41	5
01031	15.0	21.9	125	249	41	5
01032	16.0	21.9	125	249	41	5
01033	17.0	23.4	125	249	41	5

Hexagon nut driver with short round blade

343

Order-No.						
01076	5.5	8	65	176	30	10
01077	6.0	9	65	176	30	10
01078	7.0	11	65	183	36	10
01079	8.0	12	65	183	36	10
01081	10.0	14	65	183	36	10

Screwdriver SoftFinish®



Hexagon nut driver, inch design with round blade and hexagon head

347Z

Order-No.					mm		
02836	3/16"	8	125	10	231	30	10
02837	1/4"	10	125	10	238	36	10
02838	5/16"	12	125	10	238	36	10
02839	3/8"	14	125	10	238	36	10
02840	7/16"	16	125	13	246	41	10

Screwdriver SoftFinish®



Triangular nut driver

344

Order-No.					mm		
26212	M4	6.8	11	125	236	30	10
26213	M5	8.3	13	125	236	30	10
26216	M6	10.05	16	125	236	30	10
26214	M8	12.05	18	125	243	36	10
26217	M10	15.05	22	125	243	36	10

Screwdriver SoftFinish®



Hexagon nut driver with flexible shaft

372

Order-No.				mm		
01435	5.0	8	150	261	30	10
01436	5.5	8	150	261	30	10
01437	6.0	9	150	261	30	10
01438	7.0	11	150	268	36	10
01439	8.0	12	150	268	36	10
01440	10.0	14	175	293	41	10
01443	13.0	19	175	293	41	10

Screwdriver SoftFinish®



Hexagon nut driver with round blade and hexagon head

347

Order-No.					mm		
01092	7.0	11	125	10	238	36	10
01093	8.0	12	125	10	238	36	10
01094	9.0	13	125	10	238	36	10
01095	10.0	14.5	125	10	238	36	10
01096	11.0	16	125	13	246	41	10
01097	12.0	17	125	13	246	41	10
01098	13.0	19	125	13	246	41	10

Screwdriver SoftFinish®



Slotted with one-piece hexagonal blade and solid steel cap

530

Order-No.							
03223	3.5•	75	0.6	4	186	30	10
03224	4.5•	90	0.8	4	201	30	10
03225	5.5•	100	1.0	5	213	36	10
03226	6.5•	125	1.2	6	238	36	10
03228	8.0•	150	1.2	8	271	41	5
03230	10.0•	175	1.6	8	296	41	5
03231	12.0•	200	2.0	10	321	41	5
03232	14.0•	250	2.5	10	371	41	5

•* Additional dimension. Non-DIN size.

Phillips with one-piece hexagonal blade and solid steel cap

531

Order-No.							
03237	PH1	80	5	8	186	30	10
03238	PH2	100	6	10	213	36	10
03239	PH3	150	8	13	268	41	10

Pozidriv with one-piece hexagonal blade and solid steel cap

532

Order-No.							
03245	PZ1	80	5	8	186	30	10
03246	PZ2	100	6	10	213	36	10
03247	PZ3	150	8	13	268	41	10

Screwdriver SoftFinish®



Slotted with round blade and lasered mm scale

3021

Order-No.							
36085	4.0	100	0.8	4	211	30 20 - 90	10
35397	5.5	125	1.0	5.5	236	30 30 - 110	10

Phillips with round blade and lasered mm scale

3111

Order-No.							
36072	PH1	80	4.5	191	30	20 - 70	10
35398	PH2	100	6	218	36	20 - 90	10

Screwdriver SoftFinish®



Slotted with fixing function

398

Order-No.							
32867	2.5	75	0.4	186	30	5	
32868	3.0	100	0.5	211	30	5	
32869	4.0	125	0.8	243	36	5	
32870	5.0	150	1.0	268	36	5	
32871	6.0	175	1.2	293	36	5	

Phillips with fixing function

397

Order-No.							
32406	PH0	100	211	30	5		
32404	PH1	125	236	36	5		
32405	PH2	175	286	36	5		



Slotted with short round blade

302SY

Order-No.							
26964	4.0	25	0.8	4	81	34	10
26965	5.5	25	1.0	5.5	81	34	10
26966	6.5	25	1.2	6.5	81	34	10
26967	8.0	25	1.2	8	81	34	10

Phillips with short round blade, Stubby

311SY

Order-No.						
26968	PH1	25	4.5	81	34	10
26969	PH2	25	6	81	34	10
26970	PH3	25	8	81	34	10

Pozidriv with short round blade, Stubby

313SY

Order-No.						
26971	PZ1	25	4.5	81	34	10
26972	PZ2	25	6	81	34	10
26973	PZ3	25	8	81	34	10



308

Order-No.							
00731	3.5	75	0.6	4		186	10
00732	4.5	90	0.8	4		201	10
00733	5.5	100	1.0	5	8	213	10
00734	6.5	125	1.2	6	10	238	10
00735	7.0	125	1.1	6	10	238	10
00736	8.0	150	1.2	8	13	268	10
00737	9.0	150	1.4	8	13	268	10
00738	10.0	175	1.6	8	13	293	10
00739	12.0	200	2.0	10	16	318	5
00740	14.0	250	2.5	10	16	368	5

Phillips with hexagonal blade and hexagon head

312

Order-No.							
00764	PH1	80	5	8	186	30	10
00765	PH2	100	6	10	213	36	10
00766	PH3	150	8	13	268	41	10
00767	PH4	200	10	16	318	41	5

Pozidriv with hexagonal blade and hexagon head

314

Order-No.							
00776	PZ1	80	5	8	186	30	10
00777	PZ2	100	6	10	213	36	10
00778	PZ3	150	8	13	268	41	10
00779	PZ4	200	10	16	318	41	5

INFOBOX:
Pentalobe

The security profile for Apple devices.

- Ideal for repairing Apple smartphones, tablets and notebooks.
- Note: The guarantee and warranty conditions of the device manufacturer must be observed.

PicoFinish® fine screwdriver



Slotted

260P

Order-No.						
42381	0.8	40	2	134	9	10
42382	1.0	40	2	134	9	10
42383	1.2	40	2	134	9	10
42384	1.5	40	2	134	9	10
42385	1.5	60	2	154	9	10
42386	1.8	40	2	134	9	10
42387	1.8	60	2	154	9	10
42388	2.0	40	2	140	18	10
42389	2.0	60	2	160	18	10
42390	2.0	100	2	200	18	10
42391	2.5	50	2.5	150	18	10
42392	2.5	75	2.5	175	18	10
42393	2.5	100	2.5	200	18	10
42394	3.0	50	3	150	18	10
42395	3.0	100	3	200	18	10
42397	3.5	60	3.5	160	18	10
42398	4.0	60	4	160	18	10
42399	4.0	100	4	200	18	10

Phillips

261P

Order-No.						
42403	PH000	40	2	134	9	10
42402	PH00	40	2	134	9	10
42413	PH00	60	2	154	9	10
42401	PH0	50	3	150	18	10
42414	PH0	75	3	175	18	10
42415	PH1	60	4	160	18	10
42416	PH1	80	4	180	18	10

Pozidriv

262P

Order-No.						
42418	PZ0	50	3	150	18	10
42419	PZ1	60	4	160	18	10

PHP00 with pivot

2611P

Order-No.						
43882	PHP000	40	2.5	134	9	10

TORX® MagicSpring®

267PR

Order-No.						
42501	T6	40	2.5	140	18	10
42502	T7	40	2.5	140	18	10
42503	T8	40	2.5	140	18	10
42504	T9	50	3	150	18	10
42505	T10	50	3	150	18	10
42506	T15	60	3.5	150	18	10

TORX®

267PR

Order-No.						
42474	T1	40	2.5	134	9	10
42475	T2	40	2.5	134	9	10
42476	T3	40	2.5	134	9	10
42477	T4	40	2.5	134	9	10
42478	T5	40	2.5	134	9	10
42479	T6	40	2.5	140	18	10
42480	T7	40	2.5	140	18	10
42481	T8	40	2.5	140	18	10
42482	T9	50	3	150	18	10
42483	T10	50	3	150	18	10
42484	T15	60	3.5	160	18	10
42485	T20	60	4	160	18	10

Pentalobe

266P

Order-No.						
42464	PL1	40	2.5	134	9	10
42465	PL2	40	2.5	134	9	10
42466	PL3	40	2.5	134	9	10
42467	PL4	40	2.5	134	9	10
42468	PL5	40	2.5	134	9	10
42469	PL6	40	2.5	140	18	10

Y-type

266PY

Order-No.						
42470	Y000	40	2	134	9	10

Ball end hex

264P

Order-No.					
42431	1.3	40	134	9	10
42432	1.5	50	150	18	10
42433	2.0	50	150	18	10
42434	2.5	60	160	18	10
42435	3.0	60	160	18	10

Hex

263P

Order-No.					
42420	0.7	40	134	9	10
42421	0.9	40	134	9	10
42422	1.3	40	134	9	10
42423	1.5	50	144	9	10
42424	2.0	50	150	18	10
42425	2.5	60	160	18	10
42426	3.0	60	160	18	10

Hexagonal ball end, inch design

264PZ

Order-No.					
42436	1/16"	50	150	18	10
42440	5/64"	50	150	18	10
42438	3/32"	50	150	18	10
42441	7/64"	60	160	18	10
42437	1/8"	60	160	18	10
42442	9/64"	60	160	18	10
42439	5/32"	60	160	18	10

PicoFinish® fine screwdriver



Hex 263PZ

Order-No.			mm		
42427	1/16"	50	144	9	10
42428	1/8"	60	160	18	10
42429	3/32"	60	160	18	10
42430	7/64"	60	160	18	10

PicoFinish® fine screwdriver



Hex nut driver 265P

Order-No.			mm		
42443	1.5	60	160	18	10
42444	1.8	60	160	18	10
42445	2.0	60	160	18	10
42446	2.5	60	160	18	10
42447	3.0	60	160	18	10
42448	3.2	60	160	18	10
42449	3.5	60	160	18	10
42450	4.0	60	160	18	10
42451	4.5	60	160	18	10
42452	5.0	60	160	18	10
42453	5.5	60	160	18	10
42454	6.0	60	160	18	10
42455	7.0	60	160	18	10

Lifter PicoFinish



268P

Order-No.			mm		
42507	50	3.5	150	18	10

Pocket screwdrivers



Slotted transparent-red, with push-on clip 500

Order-No.				mm		
01537	3.0	40	3	100	11	50
01538	3.0	60	3	120	11	50
01539	3.0	80	3	140	11	50

Pocket screwdrivers



Slotted transparent-yellow 509

Order-No.				mm		
01548	2.0	40	2	85	8	50

Square reamer



with square tip and plastic handle 300

Order-No.			mm		
00679	6	100	185	34	10

Awl plastic handle



with round tip and plastic handle 301

Order-No.			mm		
00683	6	100	185	34	10

Magnetiser



in blister pack

40010

Order-No.	SB	Grid Icon	Quantity
01508	-		5
02568	-		5

Replacement blade set, 13 mm wide



10-pcs. for universal scraper in blister pack

SB43040K10

Order-No.	Grid Icon	Quantity
27606		5

SoftFinish® universal scraper



40010

Order-No.	Grid Icon	Quantity
23159		5

SoftFinish® universal scraper set



12-pcs. in blister pack

SB4304010

Order-No.	Grid Icon	Quantity
26920		1

SoftFinish® universal scraper 27.5 mm (23159)

Replacement blade set, 13 mm wide 10-pcs. for universal scraper in blister pack (27606)

Screwdriver set MicroFinish®



Slotted, Phillips with one-piece hexagonal blade and solid steel cap, 5-pcs.

5533HK5

Order-No.	Icon	Quantity
29138		1
	5.5 mm x 100 mm / 6.5 mm x 125 mm / 8.0 mm x 150 mm	
	PH1 x 80 mm / PH2 x 100 mm	

Slotted, Pozidriv with one-piece hexagonal blade and solid steel cap, 5-pcs.

5533ZK5

Order-No.	Icon	Quantity
29139		1
	5.5 mm x 100 mm / 6.5 mm x 125 mm / 8.0 mm x 150 mm	
	PZ1 x 80 mm / PZ2 x 100 mm	

INFOBOX:
Wiha MicroFinish
screwdriver



The specialist for wet and oily applications.

- Due to the micro-fine surface structure of the screwdriver handle, the user can gain an optimal hold, even with oily or wet hands.
- The position of the soft and hard zones on the handle also supports the perfect grip for quick and powerful turning.



Screwdriver MicroFinish®



TORX® with round blade

5527

Order-No.	Icon	Length	Blade	mm	mm	mm
29162		80	4	192	30	10
29163		80	4	192	30	10
29164		100	4	212	30	10
29165		100	4.5	212	30	10

Screwdriver MicroFinish®



5533

Order-No.	Icon	Length	Blade	mm	mm	mm
29133		90	0.8	4	201	10
29134		100	1.0	5	8	213
29135		125	1.2	6	10	238
29136		150	1.2	8	13	271
29137		175	1.6	8	13	296

Phillips with one-piece hexagonal blade and solid steel cap

5534

Order-No.	Icon	Length	Blade	mm	mm	mm
29149		80	5	8	187	30
29150		100	6	10	214	36
29151		150	8	13	271	41

Pozidriv with one-piece hexagonal blade and solid steel cap

5535

Order-No.	Icon	Length	Blade	mm	mm	mm
29158		80	5	8	187	30
29159		100	6	10	214	36

Screwdriver set SoftFinish® ESD



Slotted, Phillips 5-pcs.

302ESDHK501

Order-No.



27252

1

⊖ 3.0 mm x 100 mm / 4.0 mm x 100 mm

⊕ PH0 x 60 mm / PH1 x 80 mm / PH2 x 100 mm

IEC 61340-5-1.

Screwdriver set SoftFinish® ESD



TORX® 5-pcs.

362ESDK5

Order-No.




27253

1

⊖ T6 x 60 mm / T8 x 60 mm / T9 x 60 mm / T10 x 80 mm / T15 x 80 mm

IEC 61340-5-1.

INFOBOX:
Electrostatic
conductive ESD tools



Sensitive, electronic components can be damaged even at a very low voltage.

- Dissipative tools by Wiha discharge the electrostatic energy in a controlled, safe manner.
- ESD tools meet the ESD Standard IEC 61340-5-1.
- ESD tool handles have a surface resistance of $10^6 - 10^9$ ohms.

Screwdriver SoftFinish® ESD



Slotted

302ESD

Order-No.				mm		
08179	2.5	75	0.4	179	23	10
27150	3.0	100	0.5	204	23	10
27151	4.0	100	0.8	211	30	10
08182	5.5	125	1.0	236	30	10
08183	6.5	150	1.2	268	36	10

Phillips

311ESD

Order-No.				mm		
08184	PH0	60	3	164	23	10
08185	PH1	80	4.5	191	30	10
08186	PH2	100	6	218	36	10

Pozidriv

313ESD

Order-No.				mm		
26928	PZ0	60	3	164	23	10
26929	PZ1	80	4.5	191	30	10

TORX®

362ESD

Order-No.				mm		
31432	T3	60	2.5	164	23	10
27148	T4	60	2.5	164	23	10
27641	T5	60	3.5	164	23	10
27149	T6	60	3.5	164	23	10
31901	T7	60	3.5	164	23	10
22436	T8	60	3.5	164	23	10
27145	T9	60	4	171	30	10
27144	T10	80	4	191	30	10
27146	T15	80	4	191	30	10
27147	T20	100	4	218	36	10

Fine screwdriver set PicoFinish® ESD



Slotted, Phillips, 7 pcs. incl. holder

270PK601

Order-No.	
43707	1
	1 x 1.5 mm x 40 mm / 1 x 2.0 mm x 40 mm / 1 x 2.5 mm x 50 mm / 1 x 3.0 mm x 50 mm
	1 x PH0 x 50 mm / 1 x PH00 x 40 mm
	1 x holder

TORX®, 7 pcs. incl. holder

277PK601

Order-No.	
43708	1
	1 x T5 x 40 mm / 1 x T6 x 40 mm / 1 x T7 x 40 mm / 1 x T8 x 40 mm / 1 x T10 x 50 mm / 1 x T15 x 60 mm
	1 x holder

Fine screwdriver PicoFinish® ESD



Slotted

270P

Order-No.					mm		
43669	1.5	0.2	40	2	134	9	10
43670	2.0	0.4	40	2	140	18	10
43671	2.5	0.4	50	2.5	150	18	10
43672	3.0	0.5	50	3	150	18	10
43673	3.5	0.6	50	3.5	160	18	10
43674	4.0	0.8	60	4	160	18	10

Phillips

271P

Order-No.				mm		
43675	PH000	40	2	134	9	10
43676	PH00	40	2	134	9	10
43677	PH0	50	3	150	18	10
43678	PH1	60	4	160	18	10

Hex

273P

Order-No.				mm		
43679	0.7	40	2.5	134	9	10
43680	0.9	40	2.5	134	9	10
43681	1.3	40	2.5	134	9	10
43682	1.5	50	2.5	144	9	10
43683	2.0	50	3	150	18	10
43684	2.5	60	3	160	18	10
43685	3.0	60	4	160	18	10

Hex nut driver

275P

Order-No.				mm		
43686	2.5	4	60	160	18	10
43687	3.0	5	60	160	18	10
43688	3.5	6	60	160	18	10
43689	4.0	6	60	160	18	10
43690	5.0	7	60	160	18	10
43691	5.5	8	60	160	18	10

Pentalobe

276P

Order-No.				mm		
43692	PL1	40	2.5	134	9	10

Y-type

276PY

Order-No.				mm		
43693	Y000	40	2	134	9	10

TORX®

277P

Order-No.				mm		
43694	T1	40	2.5	134	9	10
43695	T2	40	2.5	134	9	10
43696	T3	40	2.5	134	9	10
43697	T7	40	2.5	134	9	10
43698	T5	40	2.5	134	9	10
43699	T6	40	2.5	140	18	10
43700	T7	40	2.5	140	18	10
43701	T8	40	2.5	140	18	10
43702	T9	50	3	150	18	10
43703	T10	50	3	150	18	10
43704	T15	60	3.5	150	18	10
43705	T20	60	4	150	18	10

Lifter PicoFinish® ESD



278P

Order-No.				mm		
43706	50	3.5	150	18	1	3.5

Screw extractor set



Hex, 17-pcs. with spiral drill bit incl. box

40511

Order-No.	Icon	Quantity
03988		1
		1 x 2.3 / 1 x 2.8 / 1 x 3.4 / 1 x 4.5 / 1 x 5.7 / 1 x 6.8 / 1 x 9.0 / 1 x 11
		1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm
		1 x Box

Screw extractor



405A

Order-No.	Icon	mm	Hex	Box	
03847		2.0	85	6	10
03848		2.5	85	6	10
03849		3.0	85	6	10
03850		4.0	85	6	10
03851		5.0	85	6	10
03852		6.0	95	8	10
03853		8.0	95	10	10
03854		10.0	110	12	10

Screw extractor



405B

Order-No.	Icon	mm	Box	
06725		2.3	53	10
06726		2.8	51	10
06727		3.4	70	10
06728		4.5	80	10
06729		5.7	93	10
06730		6.8	109	10
06731		9.0	117	10
06732		11	142	10