



## **Multitools**

### **Many talents in the minimum space.**

Fewer tools mean less load, better handling and efficient work. The more a tool can do, the better: Wiha multitools are compact, versatile tools which save space and reduce overall weight, making them the perfect portable companion.

In the Wiha LiftUp magazine bit holder, the most commonly used bits are neatly stored in the handle, ensuring they are always ready for use and easy to handle. The Wiha reversible blade system offers a variety of interchangeable blades, the lengths of which can be adjusted as required. The small, compact Wiha PocketStars contain the most commonly used L-keys - indispensable helpers for all equipment. The Wiha Stubby magazine combines six drive formats in one, allowing completely unrestricted access to all confined spaces thanks to its extremely short screwdriver handle.

All-in-one tools

**Screwdriver with bit magazine LiftUp electric slotted, Phillips with 6 slimBits in blister pack**  
Page 186



**Screwdriver with bit magazine LiftUp 26one® Mixed with 13 double bits 1/4" in blister pack**  
Page 187



**Screwdriver with bit magazine Stubby Mixed with 7 double bits**  
Page 187



**Double bit set Slotted, 10-pcs. in box**  
Page 188



**Multitool PocketStar assorted 9-pcs.**  
Page 190



**Multitool PocketStar TORX® 8-pcs.**  
Page 190



**Multitool PocketStar Hexagonal ball end MagicRing® 7-pcs.**  
Page 192



**Switch cabinet key pen shape in blister pack**  
Page 194



**Nut driver insert gripper 3/8" in blister pack**  
Page 194



Interchangeable blade sets

**Screwdriver with interchangeable blade set SYSTEM 6 Mixed 12-pcs. incl. box**  
Page 195



**Screwdriver with interchangeable blade set SYSTEM 4 ESD, assorted 12-pcs incl. roll-up bag**  
Page 202



**Screwdriver with interchangeable blade set SYSTEM 6 ESD Mixed 7-pcs. incl. roll-up bag**  
Page 197



**Screwdriver with interchangeable blade set SYSTEM 4 assorted 12-pcs incl. roll-up bag**  
Page 200





**Slotted, Phillips with 6 slimBits**

283109020

| Order-No. |   |   |
|-----------|---|---|
| 38610     |   | 5 |
| 38612     | x   | 5 |
| ⊖         | 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.5 mm |   |
| ⊕         | 1 x PH1 / 1 x PH2                                 |   |

Manufactured acc. to IEC 60900.

**TORX® with 6 slimBits**

283109022

| Order-No. |   |   |
|-----------|---|---|
| 41157     |   | 5 |
| 41158     | x   | 5 |
| ⊕         | 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 |   |

Manufactured acc. to IEC 60900.

**Phillips, PlusMinus/Pozidriv, slotted with 6 slimBits**

283109021

| Order-No. |                                      |   |
|-----------|--------------------------------------|---|
| 38611     |                                      | 5 |
| 38613     | x                                    | 5 |
| ⊖         | 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.5 mm |   |
| ⊕         | 1 x PH1 / 1 x PH2                    |   |
| ⊕         | 1 x SL/PZ2                           |   |

Manufactured acc. to IEC 60900.

**Pozidriv, PlusMinus/Pozidriv, slotted with 6 slimBits**

283109023

| Order-No. |                                      |   |
|-----------|--------------------------------------|---|
| 41234     |                                      | 5 |
| 41235     | x                                    | 5 |
| ⊖         | 1 x 2.5 mm / 1 x 3.5 mm / 1 x 5.5 mm |   |
| ⊕         | 1 x PZ1 / 1 x PZ2                    |   |
| ⊕         | 1 x SL/PZ2                           |   |

Manufactured acc. to IEC 60900.

**INFOBOX: slimTECHNOLOGY**



**Wiha SoftFinish® electric slimFix**








- Unlimited access.
- Blades up to 33 % narrower due to integrated insulation.
- Tool for spring clips (wedge-profiled output geometry).

Screwdriver with bit magazine LiftUp 26one®



Mixed with 13 double bits  
1/4" in blister pack

SB380304021







| Order-No.   |   |
|---|--|
| 43895   | 1  |
|  | Double bit, slotted/ slotted 1/4" 4.0/6.0 /<br>Double bit, Slotted/Slotted 5,5/6,5   |
|  | Double bit, Phillips/Phillips PH0/PH3 /<br>Double bit, Phillips/Phillips PH1/PH2   |
|  | Double bit, TORX®/TORX® T6/T8 /<br>Double bit, TORX®/TORX® T10/T15 /<br>Double bit, TORX®/TORX® T20/T25 /<br>Double bit, TORX®/TORX® T27/T30 |
|  | Double bit, Pozidriv/Pozidriv PZ1/PZ2 /<br>Double bit, Pozidriv/Pozidriv PZ0/PZ3   |
|  | Double bit internal square/internal square #1/#2   |
|  | Double bit internal hexagon/internal hexagon 3.0/4.0 /<br>Double bit internal hexagon/internal hexagon 5.0/6.0                               |

Screwdriver with bit magazine Stubby




Mixed with 7 double bits

SB380201

| Order-No.   |  |
|---|---|
| 43613   | 5   |
|  | Double bit, slotted/ slotted 1/4" 4.0/6.0   |
|  | Double bit, Phillips/Phillips PH1/PH2   |
|  | Double bit, Pozidriv/Pozidriv PZ1/PZ2   |
|  | Double bit internal hexagon/internal hexagon 3.0/4.0                                |
|  | Double bit, TORX®/TORX® T10/T15   |



INFOBOX:  
LiftUp 26one®





Most of the world's common drives in one tool!

- The LiftUp 26one® has 13 double bits
- The bit magazine opens out at the press of a button, enabling the removal of the bits.
- Unlimited access to low-lying screws thanks to the automatically locking SuperSlim bit holder.
- Powerful screw fastening or loosening thanks to the large screwdriver handle.





**Slotted, 10-pcs. in box** 741094060030

Order-No.  1


43858  Double bit, slotted/ slotted 1/4" 4.0/6.0


**Internal hexagon, 10-pcs. in box** 741390506030

Order-No.  1

43865  Double bit internal hexagon/internal hexagon 5.0/6.0

**Slotted, 10-pcs. in box** 741095565030

Order-No.  1

43859  Double bit, Slotted/Slotted 5,5/6,5

**TORX®, 10 pieces in box** 741590608030

Order-No.  1

43866  Double bit, TORX®/TORX® T6/T8

**Phillips, 10-pcs. in box** 741190003030

Order-No.  1

43860  Double bit, Phillips/Phillips PH0/PH3

**TORX®, 10 pieces in box** 741591015030

Order-No.  1

43867  Double bit, TORX®/TORX® T10/T15

**Phillips, 10-pcs. in box** 741190102030

Order-No.  1

43861  Double bit, Phillips/Phillips PH1/PH2

**TORX®, 10 pieces in box** 741592025030

Order-No.  1

43868  Double bit, TORX®/TORX® T20/T25

**Pozidriv, 10-pcs. in box** 741290003030

Order-No.  1


43862  Double bit, Pozidriv/Pozidriv PZ0/PZ3

**TORX®, 10 pieces in box** 741592730030

Order-No.  1


43869  Double bit, TORX®/TORX® T27/T30


**Pozidriv, 10-pcs. in box** 741290102030

Order-No.  1


43863  Double bit, Pozidriv/Pozidriv PZ1/PZ2


**Internal square, 10-pcs. in box** 741990102030

Order-No.  1

43870  Double bit internal square/internal square #1/#2

**Internal hexagon, 10-pcs. in box** 741390304030

Order-No.  1

43864  Double bit internal hexagon/internal hexagon 3.0/4.0

**Screwdriver with LiftUp 25 magnetic bit magazine**



| Mixed with 12 bits, 1/4" |                                       | 380302020 |
|--------------------------|---------------------------------------|-----------|
| Order-No.                |                                       |           |
| 38600                    |                                       | 5         |
| 38605                    | x                                     | 5         |
|                          | 1 x 4.5 mm / 1 x 6.5 mm               |           |
|                          | 1 x PH1 / 1 x PH2 / 1 x PH3           |           |
|                          | 1 x PZ1 / 1 x PZ2 / 1 x PZ3           |           |
|                          | 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 |           |

| Mixed with 12 bits, 1/4" |                                       | 380302021 |
|--------------------------|---------------------------------------|-----------|
| Order-No.                |                                       |           |
| 38601                    |                                       | 5         |
| 38606                    | x                                     | 5         |
|                          | 1 x 5.5 mm                            |           |
|                          | 1 x PH2                               |           |
|                          | 1 x PZ1 / 1 x PZ2 / 1 x PZ3           |           |
|                          | 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 |           |
|                          | 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm  |           |

**Screwdriver with bit magazine magnetic**



| assorted with 8 bits, 1/4" |                             | 38090101 |
|----------------------------|-----------------------------|----------|
| Order-No.                  |                             |          |
| 32901                      |                             | 5        |
| 33007                      | x                           | 5        |
|                            | 1 x 6.5 mm                  |          |
|                            | 1 x PH1 / 1 x PH2 / 1 x PH3 |          |
|                            | 1 x PZ2                     |          |
|                            | 1 x T15 / 1 x T20 / 1 x T25 |          |

| TORX® with 8 bits, 1/4" |   | 38090102 |
|-------------------------|---|----------|
| Order-No.               |   |          |
| 32902                   |   | 5        |
| 33008                   | x   | 5        |
|                         | 1 x T6 / 1 x T8 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 |          |

| Slotted, Phillips with 8 bits, 1/4" |                             | 38090103 |
|-------------------------------------|-----------------------------|----------|
| Order-No.                           |                             |          |
| 32903                               |                             | 5        |
| 33009                               | x                           | 5        |
|                                     | 1 x 5.5 mm / 1 x 6.5 mm     |          |
|                                     | 1 x PH1 / 3 x PH2 / 2 x PH3 |          |

**Screwdriver with bit magazine magnetic**



| Slotted, Phillips with 6 bits, Stubby, 1/4" |                          | 380101 |
|---|--------------------------|--------|
| Order-No.                                   |                          |        |
| 33736                                       |                          | 10     |
| 33738                                       | x                        | 5      |
|   | 4.5 mm / 6.5 mm / 8.0 mm |        |
|   | PH1 / PH2 / PH3          |        |

| Phillips, Pozidriv with 6 bits, Stubby, 1/4" |                 | 380102 |
|--|-----------------|--------|
| Order-No.                                    |                 |        |
| 33740  |                 | 10     |
| 33741  | x               | 5      |
|  | PH1 / PH2 / PH3 |        |
|  | PZ1 / PZ2 / PZ3 |        |

| TORX® with 6 bits, Stubby, 1/4" |                                   | 380103 |
|---------------------------------|-----------------------------------|--------|
| Order-No.                       |                                   |        |
| 33743                           |                                   | 10     |
| 33744                           | x                                 | 5      |
|                                 | T10 / T15 / T20 / T25 / T30 / T40 |        |

| Slotted, Pozidriv with 6 bits, Stubby, 1/4" |                          | 380104 |
|---|--------------------------|--------|
| Order-No.                                   |                          |        |
| 33764                                       |                          | 10     |
| 33746                                       | x                        | 5      |
|   | 4.5 mm / 6.5 mm / 8.0 mm |        |
|   | PZ1 / PZ2 / PZ3          |        |

Multitool PocketStar



assorted 9-pcs.

351PG9X

| Order-No. |   |   |
|-----------|---|---|
| 25293     |   | 5 |
| 25295     | x   | 5 |
|           | Slotted Blade 4,5   |   |
|           | Phillips Blade PH2  |   |
|           | TORX® Blade T10 / TORX® Blade T15 / TORX® Blade T20                   |   |
|           | hexagon Blade 3 / hexagon Blade 4 / hexagon Blade 5 / hexagon Blade 6 |   |

Multitool PocketStar



TORX® 8-pcs.

363P8

| Order-No. |  |   |
|-----------|--|---|
| 23047     |  | 5 |
| 23049     | x  | 5 |
|           | TORX® Blade T9 / TORX® Blade T10 / TORX® Blade T15 / TORX® Blade T20 / TORX® Blade T25 / TORX® Blade T27 / TORX® Blade T30 / TORX® Blade T40 |   |

Multitool Mini PocketStar



Slotted, Phillips internal hexagon, 8-pcs. in blister pack

SB351PM8X

| Order-No. |   |   |
|-----------|---|---|
| 27936     |   | 5 |
|           | hexagon Blade 0,7 / hexagon Blade 0,9 / hexagon Blade 1,3 / hexagon Blade 1,5 / hexagon Blade 2 |   |
|           | Slotted Blade 1,5 / Slotted Blade 2   |   |
|           | Phillips Blade PH00   |   |

Multitool PocketStar



TORX® 7-pcs.

363P7

| Order-No. |  |   |
|-----------|--|---|
| 23051     |  | 5 |
| 23053     | x  | 5 |
|           | TORX® Blade T7 / TORX® Blade T8 / TORX® Blade T9 / TORX® Blade T10 / TORX® Blade T15 / TORX® Blade T20 / TORX® Blade T25 |   |



**TORX® Tamper Resistant (with hole) 8-pcs.**

363TRP8

| Order-No. |  |  |
|-----------|---|---|
| 25130     |   | 5   |
| 25166     | x   | 5   |



- TORX® Tamper Resistant blade T9H /
- TORX® Tamper Resistant blade T10H /
- TORX® Tamper Resistant blade T15H /
- TORX® Tamper Resistant blade T20H /
- TORX® Tamper Resistant blade T25H /
- TORX® Tamper Resistant blade T27H /
- TORX® Tamper Resistant blade T30H /
- TORX® Tamper Resistant blade T40H



**TORX® Tamper Resistant (with hole) 7-pcs.**

363TRP7

| Order-No. |  |  |
|-----------|---|---|
| 25128     |   | 5   |
| 25164     | x   | 5   |



- TORX® Tamper Resistant blade T7H /
- TORX® Tamper Resistant blade T8H /
- TORX® Tamper Resistant blade T9H /
- TORX® Tamper Resistant blade T10H /
- TORX® Tamper Resistant blade T15H /
- TORX® Tamper Resistant blade T20H /
- TORX® Tamper Resistant blade T25H

**INFOBOX:  
PocketStar**



**The Multitool that fits in your pocket**


- Simple and easy selection of the desired key size at the touch of a button.
- Can be used as a screwdriver long handle and T-handle.
- 270° limit for safe work prevents trapped fingers.
- Covered ends on both pivot axes prevent clothing from being caught.

**INFOBOX:  
TORX® tamper-resistant safety profile**



- This safety profile is used to hinder unwanted access to equipment such as intercoms, thermostats and night-storage heaters.
- You can fasten the Torx® tamper resistant profile with both Torx® H screws and normal Torx® screws.





**Hexagonal ball end MagicRing® 7-pcs.**

369RP7

| Order-No. | SB  |   |
|-----------|---|---|
| 23031     |   | 5 |
| 23033     | x   | 5 |
| ●         | hexagon Blade 2 / hexagon Blade 3 / hexagon Blade 3 / hexagon Blade 4 / hexagon Blade 5 / hexagon Blade 6 / hexagon Blade 3 |   |



**Hexagon 7-pcs.**

351PG7

| Order-No. | SB  |   |
|-----------|---|---|
| 23040     |   | 5 |
| 23041     | x   | 5 |
| ●         | hexagon Blade 2 / hexagon Blade 3 / hexagon Blade 3 / hexagon Blade 4 / hexagon Blade 5 / hexagon Blade 6 / hexagon Blade 3 |   |


**INFOBOX: MagicRing®**



**Wiha MagicRing®**

- Spring steel ring reliably holds hex screws in place
- An innovation, which will benefit each user.

**INFOBOX: Ball end hex**



**Wiha hexagonal ball end**

- The ball end can be rotated by up to 25° in both clockwise and anti-clockwise direction.



**Hexagon 7-pcs.**

351PK7

| Order-No.   |    |  |
|---|---|---|
| 23035   |   | 5   |
| 23037   | x   | 5   |
|  | hexagon Blade 1,5 / hexagon Blade 2 / hexagon Blade 3 /<br>hexagon Blade 3 / hexagon Blade 4 / hexagon Blade 5 /<br>hexagon Blade 6 |   |



Switch cabinet key pen shape



in blister pack

24681

| Order-No. |       |   |   |     |     |   |
|-----------|-------|---|---|-----|-----|---|
| 39076     | 5 - 8 | 9 | 3 | 7.0 | PH2 | 1 |

Nut driver insert set gripper




Hexagon with ratchet 3/8" and adapter for screwdriver in blister pack 3-pcs.

SB24602

| Order-No. |   |
|-----------|---|
| 20783     | 1 |

Switch cabinet key cross shape



24667

| Order-No. |       |   |       |     |     |   |
|-----------|-------|---|-------|-----|-----|---|
| 36114     | 5 - 8 | 9 | 3 - 5 | 7.0 | PH2 | 5 |

Nut driver insert gripper



3/8" in blister pack

24601

| Order-No. |        |      |      | mm   | SB |   |
|-----------|--------|------|------|------|----|---|
| 20554     | 7 - 19 | 3/8" | 25.4 | 53.5 | -  | 1 |

Universal key with double joint



24682

with triangular heads, square heads and double bit

| Order-No. |     |       |       |   |
|-----------|-----|-------|-------|---|
| 44001     | 7-9 | 3 - 5 | 5 - 8 | 1 |

Screwdriver with interchangeable blade set SYSTEM 6



Mixed 12-pcs. incl. box

281B11

|           |  |
|-----------|--|
| Order-No. |  |
| 00623     | 1  |
|           | Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade |
|           | 4.0 mm, 6 mm, 150 mm / 5.5 mm, 6.5 mm, 150 mm                                |
|           | PH1, PH2, 150 mm   |
|           | PZ1, PZ2, 150 mm   |
|           | T10, T15, 150 mm / T20, T25, 150 mm / T30, T40, 150 mm                       |
|           | 4.0 mm, 4 mm, 150 mm / 5.0 mm, 5 mm, 150 mm / 6.0 mm, 6 mm, 150 mm           |
|           | Box  |

With ball end

Screwdriver with interchangeable blade set SYSTEM 6




assorted 12-pcs. incl. roll-up bag

281T11

|           |  |
|-----------|--|
| Order-No. |  |
| 03591     | 1  |
|           | Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade |
|           | 4.0 mm, 6 mm, 150 mm / 5.5 mm, 6.5 mm, 150 mm                                |
|           | PH1, PH2, 150 mm   |
|           | PZ1, PZ2, 150 mm   |
|           | T10, T15, 150 mm / T20, T25, 150 mm / T30, T40, 150 mm                       |
|           | 4.0 mm, 4 mm, 150 mm / 5.0 mm, 5 mm, 150 mm / 6.0 mm, 6 mm, 150 mm           |
|           | roll-up bag  |

With ball end

INFOBOX:  
SYSTEM 6



Screwdriver with interchangeable blades

- Flexible, versatile interchangeable blade system in industrial quality.
- Suitable for all applications: the blades can be quickly combined, extended and exchanged.
- Press sleeve: Blade lock is released
- Desired blade length can be set (42 – 114 mm)
- Release sleeve: Blade is held in place








Screwdriver with interchangeable blade set SYSTEM 6



assorted 7-pcs. incl. roll-up bag

281T601

|   |   |
|---|---|
| Order-No.   |  |
| 32298   | 1   |
|    | Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade      |
|  | 4.0 mm, 6 mm, 150 mm  |
|  | PH1, PH2, 150 mm  |
|  | PZ1, PZ2, 150 mm  |
|  | T10, T15, 150 mm / T20, T25, 150 mm   |
|   | roll-up bag   |

Screwdriver with interchangeable blade set SYSTEM 6



Hexagon nut driver 13-pcs. incl. roll-up bag

U106T12

|   |   |
|---|---|
| Order-No.   |    |
| 27713   | 1   |
|    | Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade  |
|  | 150 mm, 4.0 mm / 150 mm, 4.5 mm / 150 mm, 5.0 mm / 150 mm, 5.5 mm / 150 mm, 6.0 mm / 150 mm, 7.0 mm / 150 mm, 9.0 mm / 150 mm, 8.0 mm / 150 mm, 10.0 mm / 150 mm, 11.0 mm / 150 mm, 13.0 mm |
|   | roll-up bag   |

Screwdriver with interchangeable blade set SYSTEM 6



Screwdriver with interchangeable blade set SYSTEM 6 ESD



Hexagon nut driver 9-pcs. incl. roll-up bag

U106T8

|           |  |
|-----------|--|
| Order-No. |  |
| 27712     | 1  |
|           | Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade   |
|           | 150 mm, 5.0 mm / 150 mm, 5.5 mm / 150 mm, 6.0 mm / 150 mm, 7.0 mm / 150 mm, 8.0 mm / 150 mm, 10.0 mm / 150 mm, 13.0 mm |
|           | roll-up bag  |

Mixed 7-pcs. incl. roll-up bag


284ESDT601

|           |  |
|-----------|--|
| Order-No. |  |
| 31497     | 1  |
|           | Screwdriver handle SoftFinish®-telescopic ESD for SYSTEM 6 interchangeable blade |
|           | 3.5 mm, 4.5 mm, 150 mm / 4.0 mm, 6 mm, 150 mm / 5.5 mm, 6.5 mm, 150 mm           |
|           | PH1, PH2, 150 mm   |
|           | 5.0 mm, 5 mm, 150 mm   |
|           | roll-up bag  |

With ball end



INFOBOX:  
**Electrostatic  
conductive ESD tools**



- Dissipative tools by Wiha discharge the electrostatic energy in a controlled, safe manner.
- ESD tools meet the ESD Standard IEC 61340-5-1.

**Screwdriver handle SoftFinish®-telescopic**



**for SYSTEM 6 interchangeable blade**

284

| Order-No. |     |     |    |   |   |
|-----------|-----|-----|----|---|---|
| 30372     | 6.0 | 120 | 36 | - | 5 |

**Screwdriver handle SoftFinish®-telescopic ESD**



**for SYSTEM 6 interchangeable blade**

284ESD

| Order-No. |     |     |    |   |
|-----------|-----|-----|----|---|
| 31496     | 6.0 | 120 | 36 | 5 |

**Interchangeable blade SYSTEM 6**



**Slotted**

28400

| Order-No. |     |     |     |     | mm  |   |   |
|-----------|-----|-----|-----|-----|-----|---|---|
| 27627     | 3.5 | 4.5 | 0.6 | 0.8 | 150 | 6 | 5 |
| 00629     | 4.0 | 6   | 0.8 | 1   | 150 | 6 | 5 |
| 00630     | 5.5 | 6.5 | 1.0 | 1.2 | 150 | 6 | 5 |

**Slotted, Phillips**

28401

| Order-No. |     |     |     | mm  |   |   |
|-----------|-----|-----|-----|-----|---|---|
| 00665     | 4.0 | PH1 | 0.8 | 150 | 6 | 5 |
| 00666     | 6.0 | PH2 | 1.0 | 150 | 6 | 5 |

**Phillips**

28411

| Order-No. |     |     | mm  |   |   |
|-----------|-----|-----|-----|---|---|
| 00631     | PH1 | PH2 | 150 | 6 | 5 |
| 27628     | PH2 | PH3 | 150 | 6 | 5 |

**Pozidriv**

28422

| Order-No. |     |     | mm  |   |   |
|-----------|-----|-----|-----|---|---|
| 00632     | PZ1 | PZ2 | 150 | 6 | 5 |
| 27629     | PZ2 | PZ3 | 150 | 6 | 5 |

**TORX®**

28455

| Order-No. |     |     | mm  |   |   |
|-----------|-----|-----|-----|---|---|
| 00654     | T6  | T8  | 150 | 6 | 5 |
| 00655     | T7  | T9  | 150 | 6 | 5 |
| 00656     | T10 | T15 | 150 | 6 | 5 |
| 00657     | T20 | T25 | 150 | 6 | 5 |
| 00658     | T30 | T40 | 150 | 6 | 5 |

**TORX® Tamper Resistant (with hole)**

284TR

| Order-No. |      |      | mm  |   |   |
|-----------|------|------|-----|---|---|
| 27630     | T6H  | T8H  | 150 | 6 | 5 |
| 27631     | T7H  | T9H  | 150 | 6 | 5 |
| 27632     | T10H | T15H | 150 | 6 | 5 |
| 27633     | T20H | T25H | 150 | 6 | 5 |
| 27634     | T30H | T40H | 150 | 6 | 5 |

**Ball end hex**

28437





| Order-No. |     |     | mm  |   |   |
|-----------|-----|-----|-----|---|---|
| 00635     | 2.5 | 2.5 | 150 | 6 | 5 |
| 00636     | 3.0 | 3   | 150 | 6 | 5 |
| 00637     | 4.0 | 4   | 150 | 6 | 5 |
| 00638     | 5.0 | 5   | 150 | 6 | 5 |
| 00639     | 6.0 | 6   | 150 | 6 | 5 |

**Interchangeable blade SYSTEM 6**



**Hex nut driver**

2844

| Order-No. |  |  |  |  |
|-----------|---|---|---|---|
| 08900     | 4.0   | 150   | 6   | 1   |
| 08901     | 4.5   | 150   | 6   | 1   |
| 08902     | 5.0   | 150   | 6   | 1   |
| 08903     | 5.5   | 150   | 6   | 1   |
| 08904     | 6.0   | 150   | 6   | 1   |
| 08905     | 7.0   | 150   | 6   | 1   |
| 08906     | 8.0   | 150   | 6   | 1   |
| 08907     | 9.0   | 150   | 6   | 1   |
| 08908     | 10.0  | 150   | 6   | 1   |
| 08909     | 11.0  | 150   | 6   | 1   |
| 08911     | 13.0  | 150   | 6   | 1   |

**Bit holder SYSTEM 6 clamping with ball**



7802

| Order-No. |  |  |  |  |  |
|-----------|---|---|---|---|---|
| 03882     | 1/4"  | 150   | 6   | 10  | 5   |

**Interchangeable blade SYSTEM 6**



**1/4" square adapter for nut driver inserts**

7803

| Order-No. |  |  |  |  |
|-----------|---|---|---|---|
| 03883     | 1/4"  | 150   | 6   | 5   |





Screwdriver with interchangeable blade set SYSTEM 4



assorted 12-pcs incl. roll-up bag

269T11

|           |  |
|-----------|--|
| Order-No. |  |
| 00610     | 1  |
|           | Screwdriver handle SoftFinish®-telescopic for SYSTEM 4 interchangeable blade   |
|           | 1.5 mm, 3 mm, 120 mm / 2.0 mm, 3.5 mm, 120 mm / 2.5 mm, 4 mm, 120 mm   |
|           | PH000, PH00, 120 mm / PH0, PH1, 120 mm   |
|           | 1.3 mm, 1.3 mm, 120 mm / 1.5 mm, 1.5 mm, 120 mm / 2.0 mm, 2 mm, 120 mm / 2.5 mm, 2.5 mm, 120 mm / 3.0 mm, 3 mm, 120 mm |
|           | roll-up bag  |

With ball end

assorted 12-pcs incl. roll-up bag

269T1101

|           |  |
|-----------|--|
| Order-No. |  |
| 27820     | 1  |
|           | Screwdriver handle SoftFinish®-telescopic for SYSTEM 4 interchangeable blade |
|           | 1.5 mm, 3 mm, 120 mm / 2.0 mm, 3.5 mm, 120 mm / 2.5 mm, 4 mm, 120 mm         |
|           | PH000, PH00, 120 mm / PH0, PH1, 120 mm                                       |
|           | T6, T8, 120 mm / T7, T9, 120 mm  |
|           | 1.5 mm, 1.5 mm, 120 mm / 2.0 mm, 2 mm, 120 mm / 2.5 mm, 2.5 mm, 120 mm       |
|           | roll-up bag  |

Screwdriver with interchangeable blade set SYSTEM 4



Slotted, Phillips, hexagon head, 5-pcs. incl. roll-up bag

269T4

|           |  |
|-----------|--|
| Order-No. |  |
| 00613     | 1  |
|           | Screwdriver handle SoftFinish®-telescopic for SYSTEM 4 interchangeable blade |
|           | 2.0 mm, PH00, 120 mm / 3.0 mm, PH0, 120 mm / 4.0 mm, PH1, 120 mm             |
|           | roll-up bag  |

Slotted, Phillips, hex, 7-pcs. incl. roll-up bag

269T6

|           |  |
|-----------|--|
| Order-No. |  |
| 00616     | 1  |
|           | Screwdriver handle SoftFinish®-telescopic for SYSTEM 4 interchangeable blade |
|           | 1.5 mm, 3 mm, 120 mm / 2.0 mm, 3.5 mm, 120 mm / 2.5 mm, 4 mm, 120 mm         |
|           | PH000, PH00, 120 mm / PH0, PH1, 120 mm                                       |
|           | roll-up bag  |

Bit set SYSTEM 4 ESD



Mixed 27-pcs. incl. box

7000EB26ESD

| Order-No. |  |
|-----------|--|
| 33848     | 1  |
| ○         | 1 x Screwdriver handle SoftFinish®-telescopic ESD for SYSTEM 4 interchangeable blade                             |
| ○         | 1 x Bit holder SYSTEM 4 clamping with ball Suitable for C 4 (4 mm) bits.   |
| ⊖         | 1 x 1.5 mm / 1 x 2.0 mm / 1 x 3.0 mm / 1 x 4.0 mm  |
| ⊕         | 1 x PH000 / 1 x PH00 / 1 x PH0 / 1 x PH1   |
| ●         | 1 x 0.7 mm / 1 x 0.9 mm / 1 x 1.3 mm 0,05 / 1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm 5/32" |
| ⊛         | 1 x T3 / 1 x T4 / 1 x T5 / 1 x T6 / 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10   |
|           | 1 x Box  |

IEC 61340-5-1.  
DIN 3126, ISO 1173, style C 4.

Bit set SYSTEM 4 ESD



Mixed 17-pcs. incl. box


7000EB16ESD

| Order-No. |  |
|-----------|--|
| 33503     | 1  |
| ○         | 1 x Screwdriver handle SoftFinish®-telescopic ESD for SYSTEM 4 interchangeable blade |
| ○         | 1 x Bit holder SYSTEM 4 clamping with ball Suitable for C 4 (4 mm) bits.             |
| ⊖         | 1 x 2.0 mm / 1 x 3.0 mm  |
| ⊕         | 1 x PH000 / 1 x PH00 / 1 x PH0 / 1 x PH1   |
| ⊛         | 1 x T3 / 1 x T4 / 1 x T5 / 1 x T6 / 1 x T8   |
| ●         | 1 x 0.9 mm / 1 x 1.3 mm 0,05 / 1 x 1.5 mm  |
|           | 1 x Box  |

IEC 61340-5-1.  
DIN 3126, ISO 1173, style C 4.



INFOBOX:  
SYSTEM 4



Screwdriver with interchangeable blades

- Flexible, versatile precision interchangeable blade system for delicate fastening tasks.
- Suitable for all applications: the blades can be quickly combined, extended and exchanged.
- Press sleeve: Blade lock is released
- Press and hold sleeve: Desired blade length can be set (18 – 90 mm)
- Release sleeve: Blade is held in place



**Screwdriver with interchangeable blade set SYSTEM 4 ESD**



**assorted 12-pcs incl. roll-up bag**

2691T11ESD

|           |  |
|-----------|--|
| Order-No. |  |
| 31499     | 1  |
|           | Screwdriver handle SoftFinish®-telescopic ESD for SYSTEM 4 interchangeable blade |
|           | 1.5 mm, 3 mm, 120 mm / 2.0 mm, 3.5 mm, 120 mm / 2.5 mm, 4 mm, 120 mm             |
|           | PH000, PH00, 120 mm / PH0, PH1, 120 mm   |
|           | T6, T8, 120 mm / T7, T9, 120 mm  |
|           | 1.5 mm, 1.5 mm, 120 mm / 2.0 mm, 2 mm, 120 mm / 2.5 mm, 2.5 mm, 120 mm           |
|           | roll-up bag  |

**Screwdriver handle SoftFinish®-telescopic**



**for SYSTEM 4 interchangeable blade**

269

|           |     |     |    |    |
|-----------|-----|-----|----|----|
| Order-No. |     |     |    |    |
| 30373     | 4.0 | 105 | 23 | 10 |

**Screwdriver handle SoftFinish®-telescopic ESD**



**for SYSTEM 4 interchangeable blade**

269ESD

|           |     |     |    |    |
|-----------|-----|-----|----|----|
| Order-No. |     |     |    |    |
| 31498     | 4.0 | 105 | 23 | 10 |

## Interchangeable blade SYSTEM 4



### Slotted

26900

| Order-No. |     |     |     |     |     |   |   |
|-----------|-----|-----|-----|-----|-----|---|---|
| 00576     | 1.5 | 3   | 0.3 | 0.5 | 120 | 4 | 5 |
| 00577     | 2.0 | 3.5 | 0.4 | 0.6 | 120 | 4 | 5 |
| 00578     | 2.5 | 4   | 0.4 | 0.8 | 120 | 4 | 5 |

### Slotted/ Phillips

26901

| Order-No. |     |      |     |  |     |   |   |
|-----------|-----|------|-----|--|-----|---|---|
| 00601     | 2.0 | PH00 | 0.4 |  | 120 | 4 | 5 |
| 00602     | 3.0 | PH0  | 0.5 |  | 120 | 4 | 5 |
| 00603     | 4.0 | PH1  | 0.8 |  | 120 | 4 | 5 |

### Phillips

26911

| Order-No. |       |     |     |   |   |
|-----------|-------|-----|-----|---|---|
| 00579     | PH000 | PH0 | 120 | 4 | 5 |
| 00580     | PH0   | PH1 | 120 | 4 | 5 |

### Pozidriv

26922

| Order-No. |     |     |     |   |   |
|-----------|-----|-----|-----|---|---|
| 03186     | PZ0 | PZ1 | 120 | 4 | 5 |

### TORX®

26955

| Order-No. |     |     |     |   |   |
|-----------|-----|-----|-----|---|---|
| 26122     | T1  | T2  | 120 | 4 | 5 |
| 26123     | T3  | T4  | 120 | 4 | 5 |
| 26124     | T5  | T6  | 120 | 4 | 5 |
| 00597     | T6  | T8  | 120 | 4 | 5 |
| 00598     | T7  | T9  | 120 | 4 | 5 |
| 00599     | T10 | T15 | 120 | 4 | 5 |
| 00600     | T15 | T20 | 120 | 4 | 5 |

### Ball end hex

26937

| Order-No. |      |     |  |  |  |  |     |   |   |
|-----------|------|-----|--|--|--|--|-----|---|---|
| 00582     | 1.3• | 1.3 |  |  |  |  | 120 | 4 | 5 |
| 00583     | 1.5• | 1.5 |  |  |  |  | 120 | 4 | 5 |
| 00584     | 2.0• | 2   |  |  |  |  | 120 | 4 | 5 |
| 00585     | 2.5• | 2.5 |  |  |  |  | 120 | 4 | 5 |
| 00586     | 3.0• | 3   |  |  |  |  | 120 | 4 | 5 |
| 00587     | 4.0• | 4   |  |  |  |  | 120 | 4 | 5 |

•With ball end

## Bit holder SYSTEM 4 clamping with ball



### Suitable for C 4 (4 mm) bits.

269SE

| Order-No. |     |   |   |   |
|-----------|-----|---|---|---|
| 09195     | 4.0 | 4 | 9 | 1 |

