



COMPRESSORS

- | | | | |
|-----|---------------------|-----|----------------------|
| 103 | TJEP 6/15-1 Compact | 106 | TJEP 20/25-2 |
| 103 | TJEP 4/5-2 Silent | 106 | TJEP 20/30-2 |
| 104 | TJEP 6/10-2 Silent | 107 | TJEP 24/30-4 Silent |
| 104 | TJEP 8/10-2 Silent | 107 | TJEP 50/30-4 Silent |
| 105 | TJEP 17/15-2 Silent | 108 | Compressors overview |
| 105 | TJEP 20/20-2 Silent | 109 | Accessories |




Video




See our
High Pressure Compressor
on page 34


IMPORTANT!




Use a **powerful extension cord** (min. $3 \times 1.5 \text{ mm}^2$) in a separate fuse group.



The compressor is designed to run in intervals of max. **total operation on 30 min.** pr. hour to ensure cooling.



Remember to **turn off the pressure switch!** Otherwise there is a risk that the compressor will not start and may be damaged.



Remember to empty the compressor tank for **condensation water** daily.



More info

We recommend that a 10 mm hose thickness is always used (item no. 106080) and that the pressure control valve is set to give a pressure between 6 and 8 bar.



Pressure regulating valve

If the compressor will not start, it is often due to too low voltage, due to a too long / thin extension cord or a non-unrolled cable drum!

*Small and handy
- only 10 kg!*



TJEP 6/15-1 COMPACT

- Light and handy
- Weight only 10 kg

SPECIFICATIONS

Item no.	123027
EAN no.	5702551230275
Size (L×W×H)	330 × 300 × 440 mm
Weight	10.00 kg
Cylinders	1
Horsepower	1.1 kW / 1.5 HP
Max pressure	8 bar
FAD @ 0 bar*	160 litres/min
FAD @ 6.2 bar	55 litres/min
Tank	6 litres
Noise (LpA, 4m)	68 dB
Noise (LwA)	90 dB

*Often referred to as "effective air"

*Enjoy the sound of silence!
Perfect for small nailers*



TJEP 4/5-2 SILENT

- Extremely silent
- Easy to transport
- Ball-bottom valve for easy draining of water

SPECIFICATIONS

Item no.	123054
EAN no.	5702551230541
Size (L×W×H)	385 × 385 × 370 mm
Weight	12.00 kg
Cylinders	2
Horsepower	0.4 kW / 0.5 HP
Max pressure	9 bar
FAD @ 0 bar*	49 litres/min
FAD @ 6.2 bar	17 litres/min
Tank	3,8 litres
Noise (LpA, 4m)	56 dB
Noise (LwA)	69 dB

*Often referred to as "effective air"



*Low noise level
- only 59 dB!*



TJEP 6/10-2 SILENT

- Low noise level
- Easy to carry
- Rugged design

SPECIFICATIONS

Item no.	123026
EAN no.	5702551230268
Size (L×W×H)	400 × 330 × 330 mm
Weight	18.00 kg
Cylinders	2
Horsepower	0.6 kW / 0.75 HP
Max pressure	10,5 bar
FAD @ 0 bar*	160 litres/min
FAD @ 6.2 bar	66 litres/min
Tank	6 litres
Noise (LpA, 4m)	59 dB
Noise (LwA)	80 dB

*Often referred to as "effective air"



*Rest your ears with this
quiet model for small and
medium sized nailers!*



TJEP 8/10-2 SILENT

- Extremely silent
- Ball-bottom valve for easy draining of water
- Two outlets

SPECIFICATIONS

Item no.	123056
EAN no.	5702551230565
Size (L×W×H)	485 × 485 × 415 mm
Weight	21.50 kg
Cylinders	2
Horsepower	0.7 kW / 1.0 HP
Max pressure	9 bar
FAD @ 0 bar*	131 litres/min
FAD @ 6.2 bar	48 litres/min
Tank	8 litres
Noise (LpA, 4m)	58 dB
Noise (LwA)	71 dB

*Often referred to as "effective air"

*Compact, silent
and powerful!*



TJEP 17/15-2 SILENT

- Extremely silent
- Compact design with 2 tanks
- Ergonomic telescopic handle

SPECIFICATIONS

Item no.	123060
EAN no.	5702551230602
Size (L×W×H)	525 × 485 × 585 mm
Weight	26.50 kg
Cylinders	2
Horsepower	1.1 kW / 1.5 HP
Max pressure	10 bar
FAD @ 0 bar*	203 litres/min
FAD @ 6.2 bar	105 litres/min
Tank	17 litres
Noise (LpA, 4m)	66 dB
Noise (LwA)	80 dB

*Often referred to as "effective air"



TJEP 20/20-2 SILENT

- Extremely silent
- High performance - Two outlets
- Ball-bottom valve for easy draining of water

SPECIFICATIONS

Item no.	123058
EAN no.	5702551230589
Size (L×W×H)	600 × 470 × 780 mm
Weight	33.00 kg
Cylinders	2
Horsepower	1.5 kW / 2 HP
Max pressure	9 bar
FAD @ 0 bar*	230 litres/min
FAD @ 6.2 bar	109 litres/min
Tank	19 litres
Noise (LpA, 4m)	64 dB
Noise (LwA)	85 dB

*Often referred to as "effective air"

*Extremely effective
and reliable!*



*Great performance!
Strong oil lubricated workhorse!*



TJEP 20/25-2

TJEP 20/30-2

- High performance - Up to 10,5 bar
- Ball valve for easy drain of tank.
- Telescopic handle and puncture-proof wheel

- Telescopic handle
- Ball valve for easy drain of tank
- Puncture-proof wheel

SPECIFICATIONS

Item no.	123021
EAN no.	5702551230213
Size (L×W×H)	520 × 430 × 790 mm
Weight	40.00 kg
Cylinders	2
Horsepower	1.8 kW / 2.5 HP
Max pressure	10,5 bar
FAD @ 0 bar*	250 litres/min
FAD @ 6.2 bar	153 litres/min
Tank	20 litres
Noise (LpA, 4m)	70 dB
Noise (LwA)	95 dB

SPECIFICATIONS

Item no.	123052
EAN no.	5702551230527
Size (L×W×H)	520 × 430 × 790 mm
Weight	45.00 kg
Cylinders	2
Horsepower	2.2 kW / 3 HP
Max pressure	10,5 bar
FAD @ 0 bar*	360 litres/min
FAD @ 6.2 bar	211 litres/min
Tank	20 litres
Noise (LpA, 4m)	72 dB
Noise (LwA)	95 dB

ACCESSORIES

Description	Item no.
Puncture-proof wheel	106244

*Often referred to as "effective air"

ACCESSORIES

Description	Item no.
K01 compressor oil, 1 litre	106240
Oil dipstick f/TJEP oil lubricated compressors	106242
Puncture-proof wheel	106244

*Often referred to as "effective air"

Silent and compact – with high performance!



Perfect for large projects!



TJEP 24/30-4 SILENT

- Extremely silent
- High performance - Two outlets
- Ball-bottom valve for easy draining of water

SPECIFICATIONS

Item no.	123064
EAN no.	5702551230640
Size (L×W×H)	818 × 363 × 545 mm
Weight	51.00 kg
Cylinders	4
Horsepower	2,4 kW / 3 HP
Max pressure	10 bar
FAD @ 0 bar*	406 litres/min
FAD @ 6.2 bar	210 litres/min
Tank	24 litres
Noise (LpA, 4m)	68 dB
Noise (LwA)	82 dB

*Often referred to as "effective air"

TJEP 50/30-4 SILENT

- Extremely silent
- High performance – two outlets
- Large tank capacity

SPECIFICATIONS

Item no.	123066
EAN no.	5702551230664
Size (L×W×H)	890 × 457 × 672 mm
Weight	63.00 kg
Cylinders	4
Horsepower	2,4 kW / 3 HP
Max pressure	10 bar
FAD @ 0 bar*	406 litres/min
FAD @ 6.2 bar	210 litres/min
Tank	50 litres
Noise (LpA, 4m)	68 dB
Noise (LwA)	82 dB

*Often referred to as "effective air"



	6/15-1 123027	4/5-2 123054	6/10-2 123026	8/10-2 123056	17/15-2 123060	20/20-2 123058	20/25-2 123021	20/30-2 123052	24/30-4 123064	50/30-4 123066	9/20 HP 123074
3.4" FRAMING NAILERS	100099 GRF 34/90 LW	●	●	●	●	●	●	●	●	●	●
	100086 GRF 34/105	●	●	●	●	●	●	●	●	●	●
	100030 GRF 100 Excellent	●	●	●	●	●	●	●	●	●	●
ANCHOR NAILERS	100091 BC 60	●	●	●	●	●	●	●	●	●	●
	100324 KA 1	●	●	●	●	●	●	●	●	●	●
	100323 KA 1L	●	●	●	●	●	●	●	●	●	●
	100329 KA 2	●	●	●	●	●	●	●	●	●	●
2.1" FRAMING NAILERS	100098 FH 21/90 LW	●	●	●	●	●	●	●	●	●	●
	100089 FH 130	●	●	●	●	●	●	●	●	●	●
	100088 FH 160	●	●	●	●	●	●	●	●	●	●
HIGH PRESSURE	100180 GRF 34/100 HP	●	●	●	●	●	●	●	●	●	●
	100181 GRF 34/100 HP L	●	●	●	●	●	●	●	●	●	●
	100174 PC 90 HP	●	●	●	●	●	●	●	●	●	●
	100193 AN510H HP	●	●	●	●	●	●	●	●	●	●
	100194 AN610H HP	●	●	●	●	●	●	●	●	●	●
	100188 AN711H HP	●	●	●	●	●	●	●	●	●	●
	100190 AN935H HP	●	●	●	●	●	●	●	●	●	●
	100195 AN250HC HP	●	●	●	●	●	●	●	●	●	●
	100191 AF550H HP	●	●	●	●	●	●	●	●	●	●
	100186 AR411HR HP	●	●	●	●	●	●	●	●	●	●
	100345 TA 45	●	●	●	●	●	●	●	●	●	●
COIL NAILERS	100050 MX 50	●	●	●	●	●	●	●	●	●	●
	100143 ZE 65	●	●	●	●	●	●	●	●	●	●
	100147 ZE 65 Excellent	●	●	●	●	●	●	●	●	●	●
	100149 ZE 75 Excellent	●	●	●	●	●	●	●	●	●	●
	100051 PC 65	●	●	●	●	●	●	●	●	●	●
	100055 PC 66	●	●	●	●	●	●	●	●	●	●
	100034 PC 90 Excellent	●	●	●	●	●	●	●	●	●	●
	100057 PC 90	●	●	●	●	●	●	●	●	●	●
	100046 CN 57	●	●	●	●	●	●	●	●	●	●
	100048 CN 70	●	●	●	●	●	●	●	●	●	●
	100049 CN 80	●	●	●	●	●	●	●	●	●	●
HAFTEN NAILERS	100028 PC 50 Haften	●	●	●	●	●	●	●	●	●	●
	100056 PC 66 Haften	●	●	●	●	●	●	●	●	●	●
	100332 CO-15	●	●	●	●	●	●	●	●	●	●
	100426 ST-15/50	●	●	●	●	●	●	●	●	●	●
BRAD AND FINISH NAILERS	100440 TF-18/40	●	●	●	●	●	●	●	●	●	●
	100421 TF-18/45	●	●	●	●	●	●	●	●	●	●
	100419 F-18/50	●	●	●	●	●	●	●	●	●	●
	100428 TF-18/55	●	●	●	●	●	●	●	●	●	●
	100417 VD-18/50	●	●	●	●	●	●	●	●	●	●
	100416 F-18/50	●	●	●	●	●	●	●	●	●	●
	100413 TF-16/50F	●	●	●	●	●	●	●	●	●	●
	100467 TF-16/63B	●	●	●	●	●	●	●	●	●	●
	100414 AB-15	●	●	●	●	●	●	●	●	●	●
	100422 AB-15/50	●	●	●	●	●	●	●	●	●	●
	100415 VD-15/50	●	●	●	●	●	●	●	●	●	●
STAPLERS	100471 TT-65	●	●	●	●	●	●	●	●	●	●
	100686 PG-50/14	●	●	●	●	●	●	●	●	●	●
	100680 80/16	●	●	●	●	●	●	●	●	●	●
	100670 80/16 auto	●	●	●	●	●	●	●	●	●	●
	100690 90/40	●	●	●	●	●	●	●	●	●	●
	100692 BN-90/40	●	●	●	●	●	●	●	●	●	●
	100694 BE-90/40	●	●	●	●	●	●	●	●	●	●
	100418 90/F-18	●	●	●	●	●	●	●	●	●	●
	100682 ES-500/40	●	●	●	●	●	●	●	●	●	●
	100699 PZ-16/50	●	●	●	●	●	●	●	●	●	●
	100697 POZ-64	●	●	●	●	●	●	●	●	●	●
100689 MF-14/160	●	●	●	●	●	●	●	●	●	●	
100698 TW-16/38 LW	●	●	●	●	●	●	●	●	●	●	

Instructions for selecting a compressor. The overview is used as a guide for selecting a compressor. This guide is based on an exhaust pressure of 7 bar and a maximum shoot speed of 50 shots / min. Faster shoots or with a higher output pressure, it is recommended that you select a larger compressor.

● Not recommendable
 ● Recommendable for minor tasks with low rate of shoot approx. 20 shots/min.
 ● Recommendable for this nailer type
 ● Can normally run with two nailers at once

ACCESSORIES

COMPRESSORS



REPAIRING KIT,
female-coupling f/TJEP HP air hose

Item no.	123680
EAN no.	5702551236802



REPAIRING KIT,
male-coupling f/TJEP HP air hose

Item no.	123681
EAN no.	5702551236819



TJEP HP REDUCTION VALVE

Item no.	123082
EAN no.	5702551230824



TJEP HP REDUCTION VALVE,
with coupling

Item no.	123083
EAN no.	5702551230831



TJEP HP SWIVEL PLUG 360°*

Item no.	123084
EAN no.	5702551230848



SHORT HOSE SET F/TJEP HP
HOSE REEL

Item no.	106246
EAN no.	5702551062463



TJEP HP AIRHOSE

Item no.	123089
EAN no.	5702551230893
Length	15 m



TJEP HP HOSE REEL

Item no.	123090
EAN no.	5702551230909
Length	30 m

*Do not fit Makita AR411HR HP



OIL DIPSTICK,
f/TJEP oil lubricated compressors

Item no.	106242
EAN no.	5702551062425



KO1 COMPRESSOR OIL,
1 litre

Item no.	106240
EAN no.	5709535881003



PUNCTURE-PROOF WHEEL

Item no.	106244
EAN no.	5702551062449



TJEP PUR SPIRAL HOSE,
6,5/10 mm x 7,5/ 6 m

Item no.	106285
EAN no.	5702551062852
Length	6 m



TJEP SUPERFLEX AIR HOSE,
1/4" with nipple and coupling

Item no.	106082
EAN no.	5702551060827
Length	10 m



TJEP AIR HOSE,
8/14 mm poly with nipple and coupling

Item no.	106095
EAN no.	5702551060957
Length	20 m



TJEP HOSE REEL,
8/14 mm poly with nipple and coupling

Item no.	106096
EAN no.	5702551060964
Length	30 m



TJEP AUTOMATIC HOSE REEL,
9.5/13.0 mm PUR hose

Item no.	106293
EAN no.	5702551062937
Length	30 m



TJEP WOVEN NYLON EXT. HOSE,
1/4" with coupling / nipple

Item no.	106281
EAN no.	5702551062814
Length	10 m



TJEP WOVEN NYLON EXT. HOSE,
3/8" with coupling / nipple

Item no.	106282
EAN no.	5702551062821
Length	10 m



TJEP SUPERSOFT HOSE, 3/8"
with nipple & quick-release coupling

Item no.	106283
EAN no.	5702551062838
Length	10 m



TJEP SUPERSOFT HOSE, 3/8"
with nipple & quick-release coupling

Item no.	106284
EAN no.	5702551062845
Length	20 m



TJEP REGULATOR,
1/4", 0-10 bar incl. pressure gauge

Item no.	106277
EAN no.	5702551062777



TJEP FILTER REGULATOR,
1/4", 0-10 bar incl. pressure gauge

Item no.	106278
EAN no.	5702551062784



TJEP PRESSURE GAUGE,
0-10 bar 1/8"

Item no.	106279
EAN no.	5702551062791



TJEP TIRE INFLATOR,
w/ pressure gauge 0-12 bar

Item no.	106280
EAN no.	5702551062807



SELF-VENTING REGULATOR,
1/4", 16-6 bar

Item no.	106090
EAN no.	5702551060902



TJEP TEFLON THREAD SEAL TAPE, 12 mm x 0.75 mm x 12 m

Item no.	106275
EAN no.	5702551062753



TJEP AIR BLOW GUN,
w/ 6 mm angled pipe and nipple

Item no.	106287
EAN no.	5702551062876



TJEP AIR BLOW GUN,
w/ universal bike adapter & nipple

Item no.	106288
EAN no.	5702551062883




TJEP SODA BLASTER,
w/ 1.3 ltr. canister

Item no.	106289
EAN no.	5702551062890



TJEP SODA CANISTER,
5 ltr.

Item no.	106290
EAN no.	5702551062906



TJEP Y-CONNECTOR,
w/2 couplers series 007

Item no.	106276
EAN no.	5702551062760



TJEP IN-LINE LUBRICATOR,
IG1K 1/4" 4 ml

Item no.	106286
EAN no.	5702551062869



TJEP SWIVEL BALL JOINT NIPPLE,
1/4" male x 1/4" female thread

Item no.	106291
EAN no.	5702551062913



TJEP SWIVEL BALL JOINT NIPPLE,
3/8" male x 3/8" female thread

Item no.	106292
EAN no.	5702551062920



TJEP HOSE CLAMP,
13-15 mm, 5 pcs.

Item no.	106271
EAN no.	5702551062715



TJEP HOSE CLAMP,
15-17 mm, 5 pcs.

Item no.	106272
EAN no.	5702551062722



TJEP ADJ. HOSE CLAMP,
8-12 mm, 5 pcs.

Item no.	106273
EAN no.	5702551062739



TJEP ADJ. HOSE CLAMP,
10-16 mm, 5 pcs.

Item no.	106274
EAN no.	5702551062746



TJEP QUICK-RELEASE COUPLING, 6 mm hose connector

Item no.	106257
EAN no.	5702551062579



TJEP QUICK-RELEASE COUPLING, 8 mm hose connector

Item no.	106258
EAN no.	5702551062586



TJEP QUICK-RELEASE COUPLING, 10 mm hose Connector

Item no.	106259
EAN no.	5702551062593



TJEP QUICK-RELEASE COUPLING, 13 mm hose connector

Item no.	106260
EAN no.	5702551062609



TJEP COUPLING NIPPLE,
6 mm hose connector

Item no.	106267
EAN no.	5702551062678



TJEP COUPLING NIPPLE,
8 mm hose connector

Item no.	106268
EAN no.	5702551062685



TJEP COUPLING NIPPLE,
9 mm hose connector

Item no.	106269
EAN no.	5702551062692



TJEP COUPLING NIPPLE,
13 mm hose connector

Item no.	106270
EAN no.	5702551062708



TJEP COUPLING NIPPLE,
1/4" male thread

Item no.	106264
EAN no.	5702551062647



TJEP COUPLING NIPPLE,
3/8" male thread

Item no.	106265
EAN no.	5702551062654



TJEP COUPLING NIPPLE,
1/2" male thread

Item no.	106266
EAN no.	5702551062661



TJEP COUPLING NIPPLE,
1/4" female thread

Item no.	106261
EAN no.	5702551062616



TJEP COUPLING NIPPLE,
3/8" female thread

Item no.	106262
EAN no.	5702551062623



TJEP COUPLING NIPPLE,
1/2" female thread

Item no.	106263
EAN no.	5702551062630



TJEP QUICK-RELEASE COUPLING, 1/4" female thread

Item no.	106251
EAN no.	5702551062517



TJEP QUICK-RELEASE COUPLING, 3/8" female thread

Item no.	106252
EAN no.	5702551062524



TJEP QUICK-RELEASE COUPLING, 1/2" female thread

Item no.	106253
EAN no.	5702551062531



TJEP QUICK-RELEASE COUPLING, 1/4" male thread

Item no.	106254
EAN no.	5702551062548



TJEP QUICK-RELEASE COUPLING, 3/8" male thread

Item no.	106255
EAN no.	5702551062555



TJEP QUICK-RELEASE COUPLING, 1/2" male thread

Item no.	106256
EAN no.	5702551062562



TJEP STRAIGHT JOINT,
1/4" x 1/4" male thread

Item no.	106247
EAN no.	5702551062470



TJEP STRAIGHT JOINT,
3/8" x 3/8" male thread

Item no.	106248
EAN no.	5702551062487



TJEP STRAIGHT JOINT,
1/4" x 3/8" male thread

Item no.	106249
EAN no.	5702551062494